

UCD for Planetary Sciences

B Cecconi, S Erard & VESPA

Plasma environment modeling

- **New identified needs**
 - magnetic potential vector.
`phys.magfield;phys.potential` OR `phys.magfield.potentialvector`
 - electric current density (total current density of all charged particles: electrons, protons, ions...)
`phys.flux;phys.atmol.ionstage` is not satisfactory.

Spectroscopic and photometric measurements

- **Note**

In Spectrum DM, spectral dependencies are given in UCD. For instance:

 - Flux Density per unit wave: **phys.flux.density;em.wl**
 - Surface Brightness per unit frequency: **phys.flux.density.sb;em.freq**

Is this something that we want to keep for the future?
- **New identified needs**
 - Illumination map: fraction of total input flux received on a given location of a planetary surface.
 - reflectance vs albedo: Albedo is a spectrally integrated value, where as reflectance is characterizing the spectral variation of the reflection properties.
phys.albedo;em.wl ? OR phys.reflectance
 - Radiance: an intrinsic property of source characterizing the radiated flux in a given direction. Unit is W/m²/sr, W/m²/sr/nm for spectral radiance (wl in nm).
phys.luminosity;phys.angArea;em.wl ? OR phys.radiance;em.wl

NB: change phot.radiance to phys.radiance ?

Illumination conditions

- **Note**
only `pos.phaseAngle` available.
- **New identified needs**
 - Incidence angle. Same as “solar zenithal angle”
`pos.incidenceAng`
 - Emergence angle:
`pos.emergenceAng`
 - Azimuth angle:
`pos.azimuthAng`
- **Lab Experiments**
More detailed study required.

Coordinates and ephemeris

(1)

- **Coordinates**
 - planetary magnetospheric coordinates use colatitude and not latitude.
pos.bodyrc.colat
- **Orbital Parameter**
 - perifocal distance:
pos.distance;src.orbital.perifocal
- **Generic coordinate systems**
 - current coordinate systems in “pos.” UCDs are: AZ, BodyRC, Cartesian, Earth, Ecliptic, EQ, Galactic.
Adding generic cylindrical system would be useful:
pos.cylindrical.r / pos.cylindrical.th / pos.cylindrical.z

Coordinates and ephemeris

(2)

- **Vector or matrix components**
 - Adding a way to say “this a component of a vector or a matrix, and not the full set of information”:
phys.component
- **Rotation parameter description**
 - necessary for describing attitude and orientation parameters
pos.rotation.eulerAng
pos.rotation.quaternion
pos.rotation.matrix
pos.rotation.axis
- **More info here**
<https://voparis-confluence.obspm.fr/display/VES/VESPA+Contribution+to+NASA-JPL+WebGeoCalc+tool>

EPN TAP keywords

- **Spatial Resolution**
 - We need spatial resolution (spatial sampling: in situ or projected on target) and angular resolution
 - pos.resolution**
 - pos.angResolution**
- **Heliospheric coordinates**
 - There is a heliocentric related UCD, but it is a generic reference frame qualifier. Adding heliocentric longitude coordinates would be useful.
 - pos.heliocentric.lon**
 - while there, let's add also heliocentric latitude.
 - pos.heliocentric.lat**

Metadata

- **New identified needs**
 - checksums: MD5 hash
`meta.cryptic;meta.file` (?) OR `meta.checksum;meta.file`
 - modification date
`time.processing;meta.file` OR `time.update;meta.file`
to be compared with creation date
`time.creation;meta.file`
and release date
`time.release;meta.file`

Status and update of UCD

- What is the status of the UCD update discussed last year?
- What is the result of the tests done with provided examples?
- Dedicated working group needed?