



Fig. 1



Fig. 2

## 1. TAPRegExt 1.1

(cf. Fig. 1)

Markus Demleitner  
*msdemlei@ari.uni-heidelberg.de*

(cf. Fig. 2)

- ... now in `ivoa:TableAccess`
- Opening `tr:TableAccess`
- Fixing `dataModel/@ivo-id`
- Anything else?

## 2. Opening TableAccess

Following ancient Registry tradition, the old schema fixed `@standardID` on `tr:TableAccess` to

`ivo://ivoa.net/std/TAP`

– which doesn't work for TAP 1.1.

TAPRegExt 1.1 will leave the `standardID` open [use TRE for UWS?].

**Claim:** We can do this without a namespace change.

## 3. dataModel now anyURI

TAPRegExt 1.0 had `standardID`-typed `dataModel/@ivo-id`.

According to current VOResource, `standardID` does not allow fragment identifiers on its values.

That doesn't work with current StandardsRegExt.

Long term: fix in VOResource.

Short term: allow `xs:anyURI` here (preferable anyhow)

Side benefit: Proposed Erratum can be abandoned.

**Claim:** We can do this without a namespace change.

## 4. Editorial Changes

- ObsCore example model id fixed [another proposed Erratum gone]
- No longer talking about IVORNs

## 5. What else?

Anything you've always wanted in TAPRegExt?

Now's your chance!

How about an intermediate type for UWS use that does not require language?