



International

Virtual

Observatory

Alliance

IVOA Web Services Basic Profile

Version 0.21

IVOA Working Draft 2005 May 15

This version:

0.21 <http://www.ivoa.net/internal/IVOA/VO-WS-Basic-Profile-0.21.pdf>

Previous versions:

0.2 <http://www.ivoa.net/internal/IVOA/VO-WS-Basic-Profile-0.2.pdf>

0.1 <http://www.ivoa.net/internal/IVOA/VO-WS-Basic-Profile-0.1.pdf>

Editors:

André Schaaff

Authors:

Web and Grid Services Working Group

Please send comments to: <mailto:grid@ivoa.net>

Abstract

This document describes rules to take into account when implementing Web Services. It explains also how to check the conformance to these rules. It can be resumed as a “Guideline for VO Web Services interoperability” or a “How to provide interoperable VO Web Services”.

Status of This Document

This is a Working Draft. The [first release of this document](#) was 2004 July 05.

This is an IVOA Working Draft for review by IVOA members and other interested parties. It is a draft document and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use IVOA Working Drafts as reference materials or to cite them as other than "work in progress."

A list of [current IVOA Recommendations and other technical documents](http://www.ivoa.net/Documents/) can be found at <http://www.ivoa.net/Documents/>.

Acknowledgements

This work is based on discussions [1] [9] and actions from the interoperability meetings in Cambridge MA, 24-28 May 2004 and in Pune, 27-29 September 2004.

Contents

Abstract	1
Status of This Document	1
Acknowledgements.....	2
Contents.....	2
1. Introduction	2
2. WS-I [2] and the Basic Profile [3]	3
2.1 WS-I Basic Profile Goal	3
2.2 WS-I Basic Profile content	4
3. WS-I Simple SOAP Binding Profile [5]	4
4. WS-I Attachment Profile [4]	4
5. WS-I Basic Security Profile [11]	5
6. WS-I Testing Tools [6]	5
6.1 Monitor and Analyzer	5
6.2 Experiment	5
7. Toward a VO Web Service Basic Profile.....	5
7.1 Kickoff.....	5
7.1 Aim	5
8. Conformance	6
8.1 Scope.....	6
8.2 Conformance to non IVOA recommendations	6
8.3 VO Support Interfaces 0.22 conformance [10].....	6
9. Conformance checking	7
10. Conformance claim.....	8
11. Changes from previous versions.....	8
Appendix A: RFC2119	8
References.....	8

1. Introduction

The use of Web Services is increasing and it is foreseeable that many VO partners will provide services through this way in a near future.

VO Web Services providers need a guideline on how to use the existing specifications in the IVOA Web services context.

This guideline should be an “interoperability guarantee” for the future.

Our goal is not to create this guideline from scratch but to base it on existing works.

We have to decide which part of existing profiles we want to use, which part we want to replace with our own work and which part we want to add.

2. WS-I [2] and the Basic Profile [3]

The Web Services Interoperability [2] organization is an open industry effort chartered to promote Web Services interoperability across platforms, applications, and programming languages. Its role is not to develop new specifications (like the W3C for example) but to interpret the existing ones and to explain how to make them work together in the best way.

The WS-I Basic Profile is a set of non-property Web service specifications (SOAP, WSDL, UDDI, XML, XML Schema ...).

It provides clarifications because:

- Using a specification is very well but using it correctly and in the same way than others is better for a good interoperability
- Specifications are often ambiguous

WS-I Basic Profile is supported by the world major companies and working groups.

Examples:

On Microsoft web pages [7]: “Microsoft applauds the ratification of the Basic Profile 1.0...”

On Apache Axis web pages [8]: “For Axis 1.2, we are focusing on our document/literal support to better address the WS-I Basic Profile 1.0 ...”

2.1 WS-I Basic Profile Goal

The WS-I “Basic Profile 1.0” describes:

- Messaging: exchange of Web service protocol elements
- Description: enumeration of the messages associated with a Web service, with implementation details
- Discovery: metadata which gives information about the Web Service
- Security: mechanism which provides integrity, confidentiality authentication

Remarks:

Concerning the Discovery topic, IVOA has not decided to adopt UDDI, so this part may be considered as replaced with IVOA own work.

Work about security is also undergoing at IVOA and it will be necessary to explore WS-I work in this domain.

2.2 WS-I Basic Profile content

In each part (HTTP, SOAP binding, etc.) the profile explains recommendations with the following format:

Rxxxx *statement text*

Examples:

R0001 *An Instance of a Web service MUST be defined by a WSDL service description*

R1140 *A message SHOULD be sent using HTTP/1.1*

R1141 *A message MUST be sent using either HTTP/1.1 or HTTP/1.0*

Before each rule or set of rules, the document explains the context and justifies the rule creation.

The rules are not all at the same level, the compliance to one rule can be mandatory and the compliance to another can be optional.

See Appendix about RFC 2119 for additional information about the use of “MUST”, “SHOULD”...

3. WS-I Simple SOAP Binding Profile [5]

WS-I Basic Profile 1.0 + errata is equivalent to WS-I Basic Profile 1.1 + WS-I Simple SOAP Binding Profile.

Simple SOAP Binding Profile 1.0 is a “subset” of the Basic Profile 1.0 requirements related to the serialization of the envelope and its representation in the message.

Web Services can be checked following this profile when they do not use attachments.

4. WS-I Attachment Profile [4]

Adds support for sending interoperable attachments with SOAP messages.

It defines a MIME (*Multipurpose Internet Mail Extensions*) multipart structure for packaging attachments with SOAP messages.

WS-I has chosen the most common solution and it is too restrictive.

But it is not mandatory to associate this profile to the WS-I Basic Profile 1.1

Possible solutions (VO-Ready attachments) must be defined and in any case, these solutions must be available on the most common Axis implementations. Service

providers could implement other solution for internal exchange or in addition to VO-Ready attachments.

The door must be open for solutions like DIME (*Direct Internet Message Encapsulation*), MTOM (*Message Transmission Optimization Mechanism, inside attachments*), ...

5. WS-I Basic Security Profile [11]

To be explored ?

6. WS-I Testing Tools [6]

6.1 Monitor and Analyzer

It is probably unattractive to check “by hand” every rule of the Basic Profile, so the WS-I has developed conformance testing tools. The first provided tool is a Monitor and Analyzer package.

These tools are based on configuration files which allow the user to enabled/disabled rules to tests (assertion files). It is possible to define a core assertion file to check in the context of IVOA Web Services.

6.2 Experiment

The conformance testing-tools have been experimented for Tomcat/Axis and .NET in the context of the VO. The result has been show at the Pune interoperability meeting in September 2004, based on the WS-I Basic Profile 1.0.

After the release of the WS-I conformance testing tools (for WS-I Basic Profile 1.1 and WS-I Simple SOAP Binding 1.0) in November 2004, the test has been done again.

7. Toward a VO Web Service Basic Profile

7.1 Kickoff

At the Pune interoperability meeting it has been decided to create a VO Web Service Basic Profile based both on non IVOA recommendations and IVOA recommendations (like future VO Support Interfaces 1.0). This profile is intended to provide a guideline about how to implement a VO interoperable Web Service. It has also been decided to provide tools to check the conformance.

7.1 Aim

The aim is to define rules a VO Web Service should follow to be VO compliant.

New technologies are often published and it is very exciting to implement these in new or existing services but some of these technologies are not available at the same time for all the SOAP implementations. So, it is very important to define a basic common set of rules to maintain a high level of interoperability.

8. Conformance

8.1 Scope

Non IVOA Recommendations and IVOA own requirements (based on IVOA recommendations) must be detailed in this part.

A first inventory of the possible rules could be discussed at Kyoto interoperability meeting (VO Support Interfaces [10], VO Registry ?).

8.2 Conformance to non IVOA recommendations

8.2.1 Rules

R0001 An IVOA Web Service **MUST** be compliant to the WS-I Basic Profile 1.1

R0002 An IVOA Web Service **MUST** or **SHOULD** (?) be compliant to the WS-I Simple SOAP Binding 1.0

R0003 An IVOA Web Service **MUST** or **SHOULD** (?) be compliant to the WS-I Attachment Profile 1.0 if it uses MIME

...

8.3 VO Support Interfaces 0.22 conformance [10]

Remark: VO WS Basic Profile 1.0 will be based only on final recommendations

8.3.1 Rules

R0100 All VO services **SHOULD** implement the “getRegistration” interface.

R0101 The “getRegistration” interface **SHALL** return a valid VOResource document describing the metadata of this service.

R0102 A VOResource document.....

R0103 A VO service **SHOULD** implement the “RegistrationChangedOn” interface.

R0104 The “RegistrationChangedOn” interface **SHALL** return the date the metadata last changed.

R0105 A VO service **SHALL** implement the “getAvailability” interface.

R0106 The “getAvailability” interface **MUST** return an XML document containing Rules creation for each element or just one rule?
See [10]

R0110 A VO service **SHOULD** implement the “HarvestWebLog” interface

R0111 The “HarvestWebLog” interface **SHOULD** take three parameters “fromDate”, “toDate”, and “format”, and should return a URL that points to a file containing a serialization of a set of WebLogEntry in the chosen format

R0112 A WebLogEntry **SHOULD** contain the following information:
Rules creation for each element or just one rule?
See [10]

R0130 A VO services **SHOULD** implement the “HarvestServiceLog” interface.

R0131 The “HarvestServiceLog” interface **SHOULD** take three parameters “fromDate”, “toDate” and “format”

R0132 The “HarvestServiceLog” interface **SHOULD** return a URL that point to a file containing a serialization of a set of ServiceLogEntry

R0133 A ServiceLogEntry **SHOULD** contain the following information:
Rules creation for each element or just one rule?
See [10]

9. Conformance checking

9.1 Tools

The IVOA will provide a tool to check the conformance to the profile.
In any case, this tool will not be a debugger of Web Services.

9.1 Use cases

Use cases should be defined at the service provider level. The definition of this use cases and the problems due to bugs are out of the scope of the profile checking.

10. Conformance claim

The conformance could be claimed after the conformance checking if all the assertions are verified.

“This Web Service is compliant to the VO WS Basic Profile x.x” if all the interfaces are compliant or “The interfaces x, y, ... are compliant to the VO WS Basic Profile x.x”

11. Changes from previous versions

Corrections.

Definition of Conformance rules, checking and conformance claim.

Appendix A: RFC2119

A small extract from the RFC2119:

“MUST”: This word, or the terms “REQUIRED” or “SHALL”, means that the definition is an absolute requirement of the specification.

“MUST NOT”: This phrase, or the phrase "SHALL NOT", means that the definition is an absolute prohibition of the specification.

“SHOULD”: This word, or the adjective "RECOMMENDED", means that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.

“SHOULD NOT”: This phrase, or the phrase "NOT RECOMMENDED" means that there may exist valid reasons in particular circumstances when the particular behavior is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behavior described with this label.

“MAY”: This word, or the adjective “OPTIONAL”, means that an item is truly optional. One vendor may choose to include the item because a particular marketplace requires it or because the vendor feels that it enhances the product while another vendor may omit the same item. An implementation which does not include a particular option “MUST” be prepared to interoperate with another implementation which does include the option, though perhaps with reduced functionality. In the same vein an implementation which does include a particular option “MUST” be prepared to interoperate with another implementation which does not include the option (except, of course, for the feature the option provides).

References

[1] Schaaff A., *A few words about WS-I Basic Profile*,
<http://www.ivoa.net/internal/IVOA/InterOpMay2004GridAndWebServices/WordsAbout-WS-I-BP.pdf>

- [2] WS-I, *WS-I Organization*, <http://www.ws-i.org/>
- [3] WS-I, *Basic Profile 1.1 Final Material*, <http://www.ws-i.org/Profiles/BasicProfile-1.1-2004-08-24.html>
- [4] WS-I, *Attachment Profile 1.0 Final Material*, <http://www.ws-i.org/Profiles/AttachmentsProfile-1.0-2004-08-24.html>
- [5] WS-I, *Simple SOAP Binding Profile 1.0 Final Material*, <http://www.ws-i.org/Profiles/SimpleSoapBindingProfile-1.0-2004-08-24.html>
- [6] WS-I, *WS-I Testing Tools*, <http://www.ws-i.org/deliverables/workinggroup.aspx?wg=testingtools>
- [7] Microsoft, *WS-I Basic Profile is released*, <http://msdn.microsoft.com/webservices/community/industrynews/default.aspx>
- [8] Apache, *Axis*, <http://ws.apache.org/axis/>
- [9] Schaaff A., *VO Web Services Basic Profile*, http://www.ivoa.net/internal/IVOA/InterOpSep2004GridAndWebServices/VOWSBasicProfile_Pune.pdf
- [10] O'Mullane W, Rixon G., Thakar A., *VO Support Interfaces 0.22*, <http://www.ivoa.net/internal/IVOA/IvoaGridAndWebServices/VOSupportInterfaces-0.22.pdf>
- [11] WS-I, *Basic Security Profile 1.0 Working Draft*, <http://www.ws-i.org/Profiles/BasicSecurityProfile-1.0-2005-01-20.html>