



International

Virtual

Observatory

Alliance

The UCD1+ controlled vocabulary Version 1.21

IVOA Proposed Recommendation 2006 November 7

This version:

<http://www.ivoa.net/Documents/PR/UCD/UCDlist-20061107.html>

Latest version:

<http://www.ivoa.net/Documents/WD/UCD/UCDlist-20060906.html>

Previous version(s):

<http://www.ivoa.net/Documents/REC/UCD/UCDlist-20051231.html>

Editor(s):

A. Preite Martinez, S. Derriere

Author(s):

Andrea Preite Martinez (andrea.preitemartinez@iasf-roma.inaf.it)

Sebastien Derriere (derriere@astro.u-strasbg.fr)

Nausicaa Delmotte (delmot@eso.org)

Norman Gray (norman@astro.gla.ac.uk)

Robert Mann (rgm@roe.ac.uk)

Jonathan McDowell (jcm@cfa.harvard.edu)

Thomas Mc Glynn (Thomas.A.McGlynn@nasa.gov)

François Ochsenbein (francois@astro.u-strasbg.fr)

Pedro Osuna (Pedro.Osuna@esa.int)

Guy Rixon (gtr@ast.cam.ac.uk)

Roy Williams (roy@cacr.caltech.edu)

Abstract

This document describes the list of controlled terms used to build the Unified Content Descriptors, Version 1+ (UCD1+).

The document describing the UCD1+ can be found at the URL:
<http://www.ivoa.net/Documents/latest/UCD.html>. This document reviews the structure of the UCD1+ and presents the current vocabulary.

Status of This Document

This is an IVOA Proposed Recommendation made available for public review. It is appropriate to reference this document only as a recommended standard that is under review and which may be changed before it is accepted as a full recommendation.

A list of [current IVOA Recommendations and other technical documents](#) can be found at <http://www.ivoa.net/Documents/>.

Acknowledgements

This document is based on the W3C documentation standards as adapted for the IVOA.

Contents

The UCD1+ controlled vocabulary Version 1.21	1
1 Definition of atoms and words	3
1.1 Definition of atoms	3
1.2 Definition of words	3
2 The structure of the UCD1+ tree	4
Appendix A: List of valid words	5
Appendix B: Changes from previous versions	15
Changes from v1.2	15
Changes from v1.11 (Rec20051231)	15
Changes from v1.10	16
Changes from v1.02	16
Changes from v1.01	16
Changes from v1.00	17
Changes from v0.2	18
Changes from v0.1	20
References	20

1 Definition of atoms and words

A UCD is a string which contains textual tokens called ‘words’, separated by semicolons(;). A word is composed of ‘atoms’, separated by periods(.). The hierarchy is as follows:

atoms --> words --> composed words

UCD1+ are either single words, or a composition of several words.

UCDs are “controlled” (through a process that is also indicated in the reference document above). Control is exercised at the level of words (UCD1+) and at the level of the vocabulary (atoms) used to form words. A consistent list of atoms will be maintained, making sure that the same atom always means the same thing, even if used in combination with different other atoms.

1.1 Definition of atoms

Atoms are defined following these guidelines:

1. Abbreviations are kept to a minimum, and only if the result is not ambiguous. (**ra**, **dec** are acceptable, but **t** is ambiguous: **time** and **temperature** are used instead.)
2. Atoms are not hyphenated. The separation is marked by a capital letter to help readability (position angle = **posAng**) unless the composed word has a well known acronym (signal to noise ratio = **snr**) or short form (standard deviation = **stdev**).

1.2 Definition of words

The list of UCD1+ words presented in this document was initially generated applying the rules and recommendations of PR-UCD-20040823 to catalogues/tables in VizieR. The original motivation was to transform old UCD1 into an improved version, trying to build a list of combinations of new words that could describe all the existing UCD1 terms.

The list of UCD1+ words is maintained by the UCD Scientific Board, following the procedure defined in the UCD Recommendation document (<http://www.ivoa.net/Documents/latest/UCD.html>), and described in detail in <http://www.ivoa.net/Documents/latest/UCDlistMaintenance.html>.

2 The structure of the UCD1+ tree

All existing UCD1+ words are grouped into 12 main categories. These categories are expressed by the first atom of the word, whose possible values are:

1. **arith** (arithmetics)

This section includes concepts involving or indicating some mathematical operation performed on the primary ‘concept’ or just the presence of an arithmetic factor or operator.

2. **em** (electromagnetic spectrum)

This section describes the electromagnetic spectrum, either in a monochromatic way or in predefined intervals. The complete list of proposed bands (in seven classical regions of the e.m. spectrum: radio, millimeter, infrared, optical, ultraviolet, x-ray and gamma-ray), can be found in the document [Note-EMSSpectrum-20040520](#)

3. **instr** (instrument)

This section includes all quantities related to astronomical instrumentation, e.g. detectors (plates, CCDs, etc.), spectrographs, and telescopes (including observatories or missions), etc.

4. **meta** (metadata)

This section includes all the information that is not coming directly from a measurement, and information that could not be included in other sections.

5. **obs** (observation)

In principle under this section should go all words describing an observation (the name of the observer or PI, the observing conditions, the name of the field). In practice, the section is very ‘thin’ and could be deleted, if the sparse content could be housed elsewhere.

6. **phot** (photometry)

All the words describing photometric measures are included in this section. The definitions distinguish between a flux density (flux per unit frequency interval), a flux density integrated over a given e.m. interval (flux if expressed linearly, mag if expressed by a log), or a flux expressed in counts/s (if the setup of the detector is photon counting observing mode). ‘Colors’, which are differences of magnitudes (i.e. ratios of fluxes) measured in different bandpasses, are also included.

7. **phys** (physics)

This section includes atomic and molecular data (mainly used for spectroscopy) and basic physical quantities (temperature, mass, gravity, luminosity, etc.)

8. **pos** (positional data)

This section describes all quantities related to the position of an object on the sky:

- o Angular coordinates, and projections from spherical to rectangular systems.
- o Angular measurements in general (the angular size of an object is in this section, its linear size is in the **phys** section).
- o The WCS FITS keywords.

9. **spect** (spectral data)

For historical reasons, photometric data taken in narrow spectral bands with instruments called spectrographs are classified as spectroscopic data. These definitions should not be confused with those in the **em** category. **em** represents the independent variable, or dispersion axis, and **phot** and **spect** describe the dependent variable, or flux axis.

10. **src** (source)

This is a rather generic section, mainly devoted to source classifications. Variability, orbital, and velocity data are also included in this section.

11. **stat** (statistics)

This section includes statistical information on measurements.

12. **time** (time)

Quantities related to time (age, date, period, etc.) are described in this section.

Appendix A: List of valid words

All words are preceded by a ‘syntax’ code that can help in the process of building composed UCD1+.

1. The code "P" means that the word can only be used as "primary" or first word;
2. "S" stands for only secondary: the word cannot be used as the first word to describe a single quantity;
3. "Q" means that the word can be used indifferently as first or secondary word;
4. "E" means a photometric quantity, and can be followed by a word describing a part of the electromagnetic spectrum
5. "C" is a colour index, and can be followed by two successive word describing a part of the electromagnetic spectrum;
6. "V" stands for vector. Such a word can be followed by another describing the axis or reference frame in which the measurement is done

Q arith	Arithmetic quantities
S arith.diff	Difference between two quantities described by the same UCD
P arith.factor	Numerical factor
P arith.grad	Gradient
P arith.rate	Rate (per time unit)
S arith.ratio	Ratio between two quantities described by the same UCD
Q arith.zp	Zero point
S em	Electromagnetic spectrum
S em.IR	Infrared part of the spectrum
S em.IR.15-30um	Infrared between 15 and 30 micron
S em.IR.3-4um	Infrared between 3 and 4 micron
S em.IR.30-60um	Infrared between 30 and 60 micron
S em.IR.4-8um	Infrared between 4 and 8 micron
S em.IR.60-100um	Infrared between 60 and 100 micron
S em.IR.8-15um	Infrared between 8 and 15 micron
S em.IR.FIR	Far-Infrared
S em.IR.H	Infrared between 1.5 and 2 micron
S em.IR.J	Infrared between 1.0 and 1.5 micron
S em.IR.K	Infrared between 2 and 3 micron
S em.IR.MIR	Medium-Infrared
S em.IR.NIR	Near-Infrared
S em.UV	Ultraviolet part of the spectrum
S em.UV.10-50nm	Ultraviolet between 10 and 50 nm
S em.UV.100-200nm	Ultraviolet between 100 and 200 nm
S em.UV.200-300nm	Ultraviolet between 200 and 300 nm
S em.UV.50-100nm	Ultraviolet between 50 and 100 nm
S em.UV.FUV	Far-Ultraviolet
S em.X-ray	X-ray part of the spectrum
S em.X-ray.hard	Hard X-ray (12 - 120 keV)
S em.X-ray.medium	Medium X-ray (2 - 12 keV)
S em.X-ray.soft	Soft X-ray (0.12 - 2 keV)
Q em.bin	Channel / instrumental spectral bin coordinate (bin number)
Q em.energy	Energy value in the em frame
Q em.freq	Frequency value in the em frame
S em.gamma	Gamma rays part of the spectrum
S em.gamma.hard	Hard gamma ray (>500 keV)
S em.gamma.soft	Soft gamma ray (120 - 500 keV)
S em.line	Designation of major atomic lines
S em.line.Brgamma	Bracket gamma line
S em.line.HI	21cm hydrogen line
S em.line.Halpha	H-alpha line

S em.line.Hbeta	H-beta line
S em.line.Hgamma	H-gamma line
S em.line.OIII	[OIII] line
S em.mm	Millimetric part of the spectrum
S em.mm.100-200GHz	Millimetric between 100 and 200 GHz
S em.mm.1500-3000GHz	Millimetric between 1500 and 3000 GHz
S em.mm.200-400GHz	Millimetric between 200 and 400 GHz
S em.mm.30-50GHz	Millimetric between 30 and 50 GHz
S em.mm.400-750GHz	Millimetric between 400 and 750 GHz
S em.mm.50-100GHz	Millimetric between 50 and 100 GHz
S em.mm.750-1500GHz	Millimetric between 750 and 1500 GHz
S em.opt	Optical part of the spectrum
S em.opt.B	Optical band between 400 and 500 nm
S em.opt.I	Optical band between 750 and 1000 nm
S em.opt.R	Optical band between 600 and 750 nm
S em.opt.U	Optical band between 300 and 400 nm
S em.opt.V	Optical band between 500 and 600 nm
S em.radio	Radio part of the spectrum
S em.radio.100-200MHz	Radio between 100 and 200 MHz
S em.radio.12-30GHz	Radio between 12 and 30 GHz
S em.radio.1500-3000MHz	Radio between 1500 and 3000 MHz
S em.radio.20-100MHz	Radio between 20 and 100 MHz
S em.radio.200-400MHz	Radio between 200 and 400 MHz
S em.radio.3-6GHz	Radio between 3 and 6 GHz
S em.radio.400-750MHz	Radio between 400 and 750 MHz
S em.radio.6-12GHz	Radio between 6 and 12 GHz
S em.radio.750-1500MHz	Radio between 750 and 1500 MHz
Q em.wavenumber	Wavenumber value in the em frame
Q em.wl	Wavelength value in the em frame
Q em.wl.central	Central wavelength
Q em.wl.effective	Effective wavelength
Q instr	Instrument
E instr.background	Instrumental background
Q instr.bandpass	Bandpass (e.g.: band name) of instrument
Q instr.bandwidth	Bandwidth of the instrument
Q instr.baseline	Baseline for interferometry
S instr.beam	Beam
Q instr.calib	Calibration parameter
S instr.det	Detector
Q instr.det.noise	Instrument noise
Q instr.det.psf	Point Spread Function
Q instr.det.qe	Quantum efficiency
Q instr.dispersion	Dispersion of a spectrograph
S instr.filter	Filter
S instr.fov	Field of view
S instr.obsty	Observatory, satellite, mission
Q instr.obsty.seeing	Seeing
Q instr.offset	Offset angle respect to main direction of observation
Q instr.order	Spectral order in a spectrograph
Q instr.param	Various instrumental parameters
S instr.pixel	Pixel (default size: angular)
S instr.plate	Photographic plate
Q instr.plate.emulsion	Plate emulsion
Q instr.precision	Instrument precision
Q instr.saturation	Instrument saturation threshold
Q instr.scale	Instrument scale (for CCD, plate, image)

Q instr.sensitivity	Instrument sensitivity, detection threshold
Q instr.setup	Instrument configuration or setup
Q instr.skyLevel	Sky level
Q instr.skyTemp	Sky temperature
Q instr.tel	Telescope
Q instr.tel.focalLength	Telescope focal length
P meta	Metadata
P meta.abstract	Abstract (of paper, proposal,etc.)
P meta.bib	Bibliographic reference
P meta.bib.author	Author name
P meta.bib.bibcode	Bibcode
P meta.bib.fig	Figure in a paper
P meta.bib.journal	Journal name
P meta.bib.page	Page number
P meta.bib.volume	Volume number
P meta.code	Code or flag
P meta.code.class	Classification code
P meta.code.error	limit uncertainty error flag
P meta.code.member	Membership code
P meta.code.mime	MIME type
P meta.code.multip	Multiplicity or binarity flag
P meta.code.qual	Quality, precision, reliability flag or code
P meta.code.status	Status code (e.g.: status of a proposal/observation)
P meta.cryptic	Unknown or impossible to understand quantity
P meta.curation	Identity of man/organization responsible for the data
Q meta.dataset	Dataset, archive
Q meta.email	Curation/contact e-mail
S meta.file	File
S meta.fits	FITS standard
P meta.id	Identifier, name or designation
P meta.id.assoc	Identifier of associated counterpart
P meta.id.Col	Name of Co-Investigator
P meta.id.cross	Cross identification
P meta.id.parent	Identification of parent source
P meta.id.part	Part of identifier, suffix or sub-component
P meta.id.PI	Name of Principal Investigator
S meta.main	Main value of something
S meta.modelled	Quantity was produced by a model
P meta.note	Note or remark (longer than a code or flag)
P meta.number	Number (of things; e.g. nb of object in an image)
P meta.record	Record number
P meta.ref	Reference, or origin
Q meta.ref.ivorn	IVORN, Int. VO Resource Name (ivo://)
Q meta.ref.uri	URI, universal resource identifier
P meta.ref.url	URL, web address, service endpoint
S meta.software	Software used in generating data
S meta.table	Table or catalogue
P meta.title	Title or explanation
Q meta.ucd	UCD
P meta.unit	Unit
P meta.version	Version
S obs	Observation
Q obs.airMass	Airmass
S obs.atmos	Atmosphere, atmospheric phenomena affecting an observation
Q obs.atmos.extinction	Atmospheric extinction

Q obs.atmos.refractAngle	Atmospheric refraction angle
S obs.calib	Calibration observation
S obs.calib.flat	Related to flat-field calibration observation (dome, sky, ..)
S obs.exposure	Exposure
S obs.field	Region covered by the observation
S obs.image	Image
Q obs.observer	Observer, discoverer
Q obs.param	Various observation or reduction parameter
S obs.proposal	Observation proposal
Q obs.proposal.cycle	Proposal cycle
S obs.sequence	Sequence of observations, exposures or events
E phot	Photometry
E phot.antennaTemp	Antenna temperature
Q phot.calib	Photometric calibration
C phot.color	Color index or magnitude difference
Q phot.color.excess	Color excess
Q phot.color.reddFree	Dereddened, reddening-free color
E phot.count	Flux expressed in counts
E phot.fluence	Fluence
E phot.flux	Photon flux
Q phot.flux.bol	Bolometric flux
E phot.flux.density	Flux density (per wl/freq/energy interval)
E phot.flux.density.sb	Flux density surface brightness
E phot.flux.sb	Flux surface brightness
E phot.limbDark	Limb-darkening coefficients
E phot.mag	Photometric magnitude
Q phot.mag.bc	Bolometric correction
Q phot.mag.bol	Bolometric magnitude
Q phot.mag.distMod	Distance modulus
E phot.mag.reddFree	Dereddened magnitude
E phot.mag.sb	Surface brightness in magnitude units
Q phys	Physical quantities
Q phys.SFR	Star formation rate
E phys.absorption	Extinction or absorption along the line of sight
Q phys.absorption.coeff	Absorption coefficient (e.g. in a spectral line)
Q phys.absorption.gal	Galactic extinction
Q phys.absorption.opticalDepth	Optical depth
Q phys.abund	Abundance
Q phys.abund.Fe	Fe/H abundance
Q phys.abund.X	Hydrogen abundance
Q phys.abund.Y	Helium abundance
Q phys.abund.Z	Metallicity abundance
Q phys.acceleration	Acceleration
Q phys.albedo	Albedo or reflectance
Q phys.angArea	Angular area
Q phys.angMomentum	Angular momentum
Q phys.angSize	Angular size, width, diameter, dimension, extension, major minor axis, extraction radius
Q phys.angSize.smajAxis	Angular size, extent or extension of semi-major axis
Q phys.angSize.sminAxis	Angular size, extent or extension of semi-minor axis
Q phys.area	Area (in linear units)
S phys.atmol	Atomic and molecular physics
Q phys.atmol.branchingRatio	Branching ratio
Q phys.atmol.collStrength	Collisional strength
Q phys.atmol.collisional	Related to collisions
Q phys.atmol.configuration	Configuration

Q phys.atmol.crossSection	Atomic / molecular cross-section
Q phys.atmol.element	Element
Q phys.atmol.excitation	Atomic molecular excitation parameter
Q phys.atmol.final	Quantity refers to atomic/molecular final/ground state, level, ecc.
Q phys.atmol.initial	Quantity refers to atomic/molecular initial state, level, ecc.
Q phys.atmol.ionStage	Ion
S phys.atmol.ionization	Related to ionization
Q phys.atmol.lande	Lande factor
S phys.atmol.level	Atomic level
Q phys.atmol.lifetime	Lifetime of a level
Q phys.atmol.lineShift	Line shifting coefficient
Q phys.atmol.number	Atomic number Z
Q phys.atmol.oscStrength	Oscillator strength
Q phys.atmol.parity	Parity
Q phys.atmol.qn	Atomic quantum number
Q phys.atmol.radiationType	Type of radiation characterizing atomic lines (electric dipole/quadrupole, magnetic dipole)
Q phys.atmol.symmetry	Type of nuclear spin symmetry
Q phys.atmol.sWeight	Statistical weight
Q phys.atmol.sWeight.nuclear	Statistical weight for nuclear spin states
Q phys.atmol.term	Atomic term
Q phys.atmol.transProb	Atomic transition probability, Einstein A coefficient
S phys.atmol.transition	Transition between states
Q phys.atmol.wOscStrength	Weighted oscillator strength
Q phys.atmol.weight	Atomic weight
Q phys.columnDensity	Column density
S phys.composition	Quantities related to composition of objects
Q phys.composition.massLightRatio	Mass to light ratio
Q phys.composition.yield	Mass yield
S phys.cosmology	Related to cosmology
Q phys.damping	Generic damping quantities
Q phys.density	Density (of mass, electron, ...)
Q phys.dielectric	Complex dielectric function
Q phys.dispMeasure	Dispersion measure
V phys.electField	Electric field
S phys.electron	Electron
Q phys.electron.degen	Electron degeneracy parameter
Q phys.emissMeasure	Emission measure
Q phys.emissivity	Emissivity
Q phys.energy	Energy
Q phys.energy.density	Energy-density
Q phys.entropy	Entropy
Q phys.eos	Equation of state
Q phys.excitParam	Excitation parameter U
Q phys.gauntFactor	Gaunt factor/correction
Q phys.gravity	Gravity
Q phys.ionizParam	Ionization parameter
Q phys.ionizParam.coll	Collisional ionization
Q phys.ionizParam.rad	Radiative ionization
E phys.luminosity	Luminosity
Q phys.luminosity.fun	Luminosity function
E phys.magAbs	Absolute magnitude
Q phys.magAbs.bol	Bolometric absolute magnitude
V phys.magField	Magnetic field
Q phys.mass	Mass

Q phys.mass.loss	Mass loss
Q phys.mol	Molecular data
Q phys.mol.dipole	Molecular dipole
Q phys.mol.dipole.electric	Molecular electric dipole moment
Q phys.mol.dipole.magnetic	Molecular magnetic dipole moment
Q phys.mol.dissociation	Molecular dissociation
Q phys.mol.formationHeat	Formation heat for molecules
Q phys.mol.qn	Molecular quantum numbers
Q phys.mol.quadrupole	Molecular quadrupole
Q phys.mol.quadrupole.electric	Molecular electric quadrupole moment
S phys.mol.rotation	Molecular rotation
S phys.mol.vibration	Molecular vibration
S phys.particle.neutrino	Related to neutrino
Q phys.polarization	Polarization degree (or percentage)
Q phys.polarization.circular	Circular polarization
Q phys.polarization.linear	Linear polarization
Q phys.polarization.rotMeasure	Rotation measure polarization
Q phys.polarization.stokes	Stokes polarization
Q phys.pressure	Pressure
Q phys.recombination.coeff	Recombination coefficient
Q phys.refractIndex	Refraction index
Q phys.size	Linear size, length (not angular)
Q phys.size.axisRatio	Axis ratio (a/b) or (b/a)
Q phys.size.diameter	Linear diameter
Q phys.size.radius	Linear radius
Q phys.size.smajAxis	Linear semi major axis
Q phys.size.sminAxis	Linear semi minor axis
Q phys.temperature	Temperature
Q phys.temperature.effective	Effective temperature
Q phys.temperature.electron	Electron temperature
Q phys.transmission	Transmission (of filter, instrument, ...)
V phys.veloc	Space velocity
Q phys.veloc.ang	Angular velocity
Q phys.veloc.dispersion	Velocity dispersion
Q phys.veloc.escape	Escape velocity
Q phys.veloc.expansion	Expansion velocity
Q phys.veloc.microTurb	Microturbulence velocity
Q phys.veloc.orbital	Orbital velocity
Q phys.veloc.pulsat	Pulsational velocity
Q phys.veloc.rotat	Rotational velocity
Q phys.veloc.transverse	Transverse / tangential velocity
Q phys.virial	Related to virial quantities (mass, radius, ..)
Q pos	Position and coordinates
Q pos.angDistance	Angular distance, elongation
Q pos.angResolution	Angular resolution
Q pos.az	Position in alt-azimutal frame
Q pos.az.alt	Alt-azimutal altitude
Q pos.az.azi	Alt-azimutal azimuth
Q pos.az.zd	Alt-azimutal zenith distance
S pos.barycenter	Barycenter
S pos.bodyrc	Body related coordinates
Q pos.bodyrc.alt	Body related coordinate (altitude on the body)
Q pos.bodyrc.lat	Body related coordinate (latitude on the body)
Q pos.bodyrc.long	Body related coordinate (longitude on the body)
S pos.cartesian	Cartesian (rectangular) coordinates
Q pos.cartesian.x	Cartesian coordinate along the x-axis

Q pos.cartesian.y	Cartesian coordinate along the y-axis
Q pos.cartesian.z	Cartesian coordinate along the z-axis
S pos.cmb	Cosmic Microwave Background reference frame
Q pos.dirCos	Direction cosine
V pos.distance	Linear distance
S pos.earth	Coordinates related to Earth
Q pos.earth.altitude	Altitude, height on Earth above sea level
Q pos.earth.lat	Latitude on Earth
Q pos.earth.lon	Longitude on Earth
S pos.ecliptic	Ecliptic coordinates
Q pos.ecliptic.lat	Ecliptic latitude
Q pos.ecliptic.lon	Ecliptic longitude
S pos.eop	Earth orientation parameters
Q pos.eop.nutation	Earth nutation
Q pos.ephem	Ephemeris
S pos.eq	Equatorial coordinates
Q pos.eq.dec	Declination in equatorial coordinates
Q pos.eq.ha	Hour-angle
Q pos.eq.ra	Right ascension in equatorial coordinates
Q pos.eq.spd	South polar distance in equatorial coordinates
S pos.errorEllipse	Positional error ellipse
Q pos.frame	Reference frame used for positions (FK5, ICRS,...)
S pos.galactic	Galactic coordinates
Q pos.galactic.lat	Latitude in galactic coordinates
Q pos.galactic.lon	Longitude in galactic coordinates
S pos.galactocentric	Galactocentric coordinate system
S pos.geocentric	Geocentric coordinate system
Q pos.healpix	Hierarchical Equal Area IsoLatitude Pixelization
S pos.heliocentric	Heliocentric position coordinate (solar system bodies)
Q pos.HTM	Hierarchical Triangular Mesh
S pos.lambert	Lambert projection
S pos.lg	Local Group reference frame
S pos.lsr	Local Standard of Rest reference frame
Q pos.lunar	Lunar coordinates
Q pos.lunar.occult	Occultation by lunar limb
Q pos.parallax	Parallax
Q pos.parallax.dyn	Dynamical parallax
Q pos.parallax.phot	Photometric parallax
Q pos.parallax.spect	Spectroscopic parallax
Q pos.parallax.trig	Trigonometric parallax
Q pos.phaseAng	Phase angle, e.g. elongation of earth from sun as seen from a third cel. object
V pos.pm	Proper motion
Q pos.posAng	Position angle of a given vector
V pos.precess	Precession (in equatorial coordinates)
S pos.supergalactic	Supergalactic coordinates
Q pos.supergalactic.lat	Latitude in supergalactic coordinates
Q pos.supergalactic.lon	Longitude in supergalactic coordinates
P pos.wcs	WCS keywords
P pos.wcs.cdmatrix	WCS CDMATRIX
P pos.wcs.crpix	WCS CRPIX
P pos.wcs.crval	WCS CRVAL
P pos.wcs.ctype	WCS CTYPE
P pos.wcs.naxes	WCS NAXES
P pos.wcs.naxis	WCS NAXIS
P pos.wcs.scale	WCS scale or scale of an image

Q spect	Spectroscopy
Q spect.binSize	Spectral bin size
S spect.continuum	Continuum spectrum
Q spect.dopplerParam	Doppler parameter b
E spect.dopplerVeloc	Radial velocity, derived from the shift of some spectral feature
E spect.dopplerVeloc.opt	Radial velocity derived from a wavelength shift using the optical convention
E spect.dopplerVeloc.radio	Radial velocity derived from a frequency shift using the radio convention
E spect.index	Spectral index
S spect.line	Spectral line
E spect.line.asymmetry	Line asymmetry
E spect.line.broad	Spectral line broadening
Q spect.line.broad.Stark	Stark line broadening coefficient
E spect.line.broad.Zeeman	Zeeman broadening
E spect.line.eqWidth	Line equivalent width
E spect.line.intensity	Line intensity
E spect.line.profile	Line profile
Q spect.line.strength	Spectral line strength S
E spect.line.width	Spectral line fwhm
Q spect.resolution	Spectral (or velocity) resolution
S src	Observed source viewed on the sky
S src.calib	Calibration source
S src.calib.guideStar	Guide star
Q src.class	Source classification (star, galaxy, cluster...)
Q src.class.color	Color classification
Q src.class.distance	Distance class e.g. Abell
Q src.class.luminosity	Luminosity class
Q src.class.richness	Richness class e.g. Abell
Q src.class.starGalaxy	Star/galaxy discriminator, stellarity index
Q src.class.struct	Structure classification e.g. Bautz-Morgan
Q src.density	Density of sources
Q src.ellipticity	Source ellipticity
Q src.impactParam	Impact parameter
Q src.morph	Morphology structure
Q src.morph.param	Morphological parameter
Q src.morph.scLength	Scale length for a galactic component (disc or bulge)
Q src.morph.type	Hubble morphological type (galaxies)
S src.net	Qualifier indicating that a quantity (e.g. flux) is background subtracted rather than total
Q src.orbital	Orbital parameters
Q src.orbital.eccentricity	Orbit eccentricity
Q src.orbital.inclination	Orbit inclination
Q src.orbital.meanAnomaly	Orbit mean anomaly
Q src.orbital.meanMotion	Mean motion
Q src.orbital.node	Ascending node
Q src.orbital.periastron	Periastron
Q src.redshift	Redshift
Q src.redshift.phot	Photometric redshift
Q src.sample	Sample
Q src.spType	Spectral type MK
Q src.var	Variability of source
E src.var.amplitude	Amplitude of variation
Q src.var.index	Variability index
Q src.var.pulse	Pulse
Q stat	Statistical parameters

Q stat.Fourier	Fourier coefficient
Q stat.Fourier.amplitude	Amplitude Fourier coefficient
P stat.correlation	Correlation between two parameters
P stat.covariance	Covariance between two parameters
P stat.error	Statistical error
P stat.error.sys	Systematic error
Q stat.filling	Filling factor (volume, time, ..)
Q stat.fit	Fit
P stat.fit.chi2	Chi2
P stat.fit.dof	Degrees of freedom
P stat.fit.goodness	Goodness or significance of fit
S stat.fit.omc	Observed minus computed
Q stat.fit.param	Parameter of fit
P stat.fit.residual	Residual fit
P stat.likelihood	Likelihood
S stat.max	Maximum or upper limit
S stat.mean	Mean, average value
S stat.median	Median value
S stat.min	Minimum or lowest limit
Q stat.param	Generic statistical parameter
Q stat.probability	Probability
P stat.snr	Signal to noise ratio
P stat.stdev	Standard deviation
S stat.uncalib	Qualifier of a generic incalibrated quantity
Q stat.value	Miscellaneous statistical value
P stat.variance	Variance
P stat.weight	Statistical weight
Q time	Time, generic quantity in units of time or date
Q time.age	Age
Q time.creation	Creation time/date (of dataset, file, catalogue,...)
Q time.crossing	Crossing time
Q time.duration	Interval of time describing the duration of a generic event or phenomenon
Q time.end	End time/date of a generic event
Q time.epoch	Instant of time related to a generic event (epoch, date, Julian date, time stamp/tag,...)
Q time.equinox	Equinox
Q time.interval	Time interval, time-bin, time elapsed between two events, not the duration of an event
Q time.lifetime	Lifetime
Q time.period	Period, interval of time between the recurrence of phases in a periodic phenomenon
Q time.phase	Phase, position within a period
Q time.processing	A time/date associated with the processing of data
Q time.publiYear	Publication year
Q time.relax	Relaxation time
Q time.release	The time/date data is available to the public
Q time.resolution	Time resolution
Q time.scale	Timescale
Q time.start	Start time/date of generic event

Appendix B: Changes from previous versions

Changes from v1.2

Additions:

spect.continuum

Changes from v1.11 (Rec20051231)

Amendments/clarifications:

Spelling: phys.atmol.sWeight

Syntax flag changed in words:
phys.atmol, spect.line

Description changed in words:

meta.dataset, obs.atmos, phot.color.reddFree, phys.size, phys.size.diameter, phys.size.radius,
stat.param, stat.value, time, time.epoch, time.interval, time.period, time.phase

Additions:

em.bin, em.binSize, em.IR.FIR, em.IR.MIR, em.IR.NIR, em.UV.FUV, meta.abstract, meta.code.status,
meta.email, meta.id.PI, meta.id.Col, meta.ref.ivorn, meta.ref.uri, obs.calib.flat, obs.exposure,
obs.proposal, obs.proposal.cycle, obs.sequence, phys.atmol.symmetry, phys.atmol.sWeight.nuclear,
phys.cosmology, phys.damping, phys.entropy, phys.particle.neutrino, phys.virial, spect.continuum,
spect.line.strength, src.calib, src.calib.guideStar, src.net, stat.filling, stat.probability, stat.uncalib,
time.creation, time.duration, time.end, time.processing, time.publYear, time.release, time.start

Deletions/replacements:

deleted	replacement	description
phys.atmol.damping	phys.damping	Atomic damping quantities (van der Waals)
phys.atmol.qn.I	phys.atmol.qn	Nuclear spin quantum number
time.event	time.duration	Duration of an event or phenomenon
time.event.end	time.end	End time of event or phenomenon
time.event.start	time.start	Start time of event or phenomenon
time.expo	time.duration;obs.exposure	Exposure on-time, duration
time.expo.end	time.end;obs.exposure	End time of exposure
time.expo.start	time.start;obs.exposure	Start time of exposure
time.obs	time.duration;obs	Observation on-time, duration
time.obs.end	time.end;obs	End time of observation

time.obs.start	time.start;obs	Start time of observation
----------------	----------------	---------------------------

Changes from v1.10

1. A few minor changes to the text have been done
2. All UCD words are now compliant with the UCD recommendation. The corresponding changes are described below
3. The following words have been deprecated:

Deprecated UCD	New corresponding UCD
phot.fluxDens	phot.flux.density
phot.fluxDens.sb	phot.flux.density.sb
phys.at*	phys.atmol*
phys.atmol.coll	phys.atmol.collisional
phys.atmol.ion	phys.atmol.ionStage
phys.atmol.trans	phys.atmol.transition
phys.energyDensity	phys.energy.density
phys.massToLight	phys.composition.massLightRatio
phys.massYield	phys.composition.yield
spect.doppler	spect.dopplerParam

4. The following word has been created: phys.composition
5. The section *Changes from previous versions* has been reformatted

Changes from v1.02

1. Descriptions have been changed for the following words: em.line, instr.pixel, phys.gravity, pos.earth.altitude
2. The syntax flags changed for words: instr.filter, phys.angSize
3. The following words have been deprecated:

Deprecated UCD	New corresponding UCD
instr.filter.transm	phys.transm;instr.filter
phys.mass.light	phys.massToLight
pos.resolution	pos.angResolution
pos.satellite	pos.bodyrc

4. The following words have been created: phys.polarization.circular, phys.polarization.linear, phys.size.axisRatio, pos.bodyrc.alt, pos.bodyrc.lat, pos.bodyrc.long, time.event, time.event.end, time.event.start

Changes from v1.01

1. The following words have been restored to their previous spelling (v1.00): phot.fluDensity, phys.energDensity, phys.mYield, phot.fluxDensity, phys.energyDensity, phys.massYield

A note has been added to indicate that these words do not strictly comply with the UCD1+ Rec.

Changes from v1.00

1. Descriptions have been changed for the following words: em.IR.H, em.IR.J, em.IR.K, em.X-ray.hard, em.X-ray.medium, em.X-ray.soft, em.gamma.hard, em.gamma.soft, em.opt.B, em.opt.I, em.opt.R, em.opt.U, em.opt.V, instr.bandpass, phot.count, phys.density, phys.mol.dipole.electric, phys.mol.dipole.magnetic, phys.mol.quadrupole.electric, pos.angDistance, pos.precess, src, src.class.distance, src.class.richness, src.class.starGalaxy, src.class.struct, time.expo, time.expo.end, time.expo.start, time.interval
2. The following words have been deprecated:

Deprecated UCD	New corresponding UCD
instr.angRes	pos.resolution
instr.obsty.site	pos.earth.altitude;instr.obsty
instr.obsty.site.seeing	instr.obsty.seeing
instr.spect	instr
instr.spect.dispersion	instr.dispersion
instr.spect.order	instr.order
instr.spect.resolution	spect.resolution
instr.tel.focus	instr.tel.focalLength
meta.fits.software	meta.software
obs.air	obs.atmos
obs.air.extinction	obs.atmos.extinction
obs.air.mass	obs.airMass
phot.fluxDens	phot.fluDens
phot.fluxDens.sb	phot.fluDens.sb
phot.sb	phot.mag.sb
phys.at.branchingRatio	phys.atmol.branchingRatio
phys.at.crossSection	phys.atmol.crossSection
phys.at.lineShift	phys.atmol.lineShift
phys.at.moment	
phys.at.moment.electric	phys.at.radiationType
phys.at.moment.magnetic	phys.at.radiationType
phys.at.qn.S	phys.at.qn
phys.at.qn.L	phys.at.qn
phys.at.qn.J	phys.at.qn
phys.at.qn.F	phys.at.qn
phys.atmol.state.final	phys.atmol.final
phys.atmol.state.initial	phys.atmol.initial
phys.massYield	phys.mYield
phys.mol.quadrupole.magnetic	phys.at.radiationType
phys.refraction	phys.refractIndex
pos.az.ha	pos.eq.ha
pos.earth.nutation	pos.eop.nutation

spect.veloc	spect.dopplerVeloc
src.fwhm	phys.angSize;src
src.orbital.veloc	phys.veloc.orbital
src.veloc	phys.veloc
src.veloc.ang	phys.veloc.ang
src.veloc.cmb	phys.veloc;pos.cmb
src.veloc.dispersion	phys.veloc.dispersion
src.veloc.escape	phys.veloc.escape
src.veloc.expansion	phys.veloc.expansion
src.veloc.lg	phys.veloc;pos.lg
src.veloc.lsr	phys.veloc;pos.lsr
src.veloc.microTurb	phys.veloc.microTurb
src.veloc.pulsat	phys.veloc.pulsat
src.veloc.rotat	phys.veloc.rotat

3. The syntax flags changed for words: instr.fov, instr.obsty, meta.file, phys.angSize, pos.cartesian, stat.fit.omc
4. The following words have been created: instr.dispersion, instr.order, instr.tel.focalLength, meta.curation, meta.software, meta.version, obs.atmos, obs.atmos.extinction, obs.airMass, obs.atmos.refractAngle, obs.calib, phys.at.radiationType, phys.atmol.branchingRatio, phys.atmol.crossSection, phys.atmol.lifetime, phys.atmol.lineShift, phys.energDensity, phys.refractIndex, phys.transmission, pos.eq.ha, pos.az.azi, pos.bodyrc, pos.cmb, pos.earth.altitude, pos.eop, pos.eop.nutation, pos.lg, pos.lsr, pos.phaseAng, pos.resolution, spect.resolution, spect.dopplerVeloc, spect.dopplerVeloc.radio, spect.dopplerVeloc.opt, src.orbital.meanMotion, phys.veloc, phys.veloc.ang, phys.veloc.dispersion, phys.veloc.escape, phys.veloc.expansion, phys.veloc.microTurb, phys.veloc.orbital, phys.veloc.pulsat, phys.veloc.rotat, phys.veloc.transverse, time.obs, time.obs.end, time.obs.start

Changes from v0.2

1. Section 1.2 has been simplified
2. 3 new syntax codes (E, C, V) have been introduced, and described in appendix A
3. The following words have been renamed :

Deprecated UCD	New corresponding UCD
em.line.21cm	em.line.HI
instr.ang-res	instr.angRes
instr.sky-level	instr.skyLevel
instr.sky-temp	instr.skyTemp
instr.antenna-temp	phot.antennaTemp
phys.absorption.gf	phys.gauntFactor
phys.at.einstein	phys.at.transProb
phys.at.level	phys.atmol.level
phys.dispMeas	phys.dispMeasure
phys.distance	pos.distance
phys.polarization.rotMeas	phys.polarization.rotMeasure
phys.size.area	phys.area

pos.ang.separation	pos.angDistance
pos.ec	pos.ecliptic
pos.ec.lat	pos.ecliptic.lat
pos.ec.lon	pos.ecliptic.lon
pos.ee	pos.errorEllipse
pos.gal	pos.galactic
pos.gal.lat	pos.galactic.lat
pos.gal.lon	pos.galactic.lon
pos.sg	pos.supergalactic
pos.sg.lat	pos.supergalactic.lat
pos.sg.lon	pos.supergalactic.lon
src.class.star-galaxy	src.class.starGalaxy

4. The following words have been created: instr.beam, meta.code.error, meta.id.part, phot.flux.sb, phys.angArea, phys.angSize, phys.angSize.smajAxis, phys.angSize.sminAxis, phys.area, phys.at.damping, phys.at.weight, phys.atmol.excitation, phys.mol.dissociation, phys.recombination.coeff, phys.size.smajAxis, phys.size.sminAxis, pos.cartesian, pos.cartesian.x, pos.cartesian.y, pos.cartesian.z, pos.distance, pos.eq.spd, pos.galactocentric, pos.geocentric, pos.healpix, pos.heliocentric, pos.HTM, pos.lambert, pos.satellite, spect.line.broad.Stark, spect.veloc, src.redshift.phot, stat.correlation, time.lifetime
5. Some words have been removed. The following table summarizes, when relevant, the suggested replacement to be used.

Deprecated UCD	New corresponding UCD
instr.area	phys.area;instr
instr.beam-width	phys.angSize;instr.beam
meta.table.axis	phys.size;meta.table
phot.color.Cous	phot.color
phot.color.Gen	phot.color
phot.color.Gunn	phot.color
phot.color.JHN	phot.color
phot.color.STR	phot.color
phot.color.STR.c1	phot.color
phot.color.STR.b-y	phot.color
phot.color.STR.m1	phot.color
phys.at.lineBroad	spect.line.broad
phys.distance.compon	pos.distance;pos.cartesian.x (or y, z)
phys.distance.gc	pos.distance;pos.galactocentric
phys.electron.energy	phys.energy;phys.electron
phys.extension	phys.angSize or phys.size
phys.mass.fraction	phys.mass;arith.ratio
phys.polarization.posAng	pos.posAng;phys.polarization
pos.ang	
pos.det	pos.cartesian;instr.det
pos.eq.dec.arcsec	

pos.eq.ra.minutes	
pos.eq.ra.seconds	
pos.gal.compon	pos.cartesian;pos.galactic
pos.pm.dec	pos.pm;pos.eq.dec
pos.pm.ra	pos.pm;pos.eq.ra
pos.precess.dec	pos.precess;pos.eq.dec
pos.precess.ra	pos.precess;pos.eq.ra
pos.proj	
pos.sg.compon	pos.cartesian;pos.supergalactic
src.orbital.energy	phys.energy;src.orbital
src.orbital.separation	pos.angDistance;src.orbital
src.orbital.size	phys.size;src.orbital
src.separation	pos.angDistance;src
src.veloc.compon	src.veloc;pos.cartesian
src.veloc.gc	src.veloc;pos.galactocentric
src.veloc.geoc	src.veloc;pos.geocentric
src.veloc.hc	src.veloc;pos.heliocentric

Changes from v0.1

1. Descriptions of the words were improved.
2. Designation of commonly used lines have been moved to **em.line.***. As a consequence, terms like **em.IR.K.Brgamma** or **spect.index.Hbeta** have been removed.
3. **phys.at** and **phys.mol** have been completely reorganized to improve the overall description of this domain. A new branch **phys.atmol** has been introduced to group concepts shared between **phys.at** and **phys.mol**.
4. The **phot.color** section was significantly simplified.
5. Missing nodes of the tree were added (e.g. **em.gamma**, **em.mm**, **pos.sg**).
6. Creation of new words: **em.wavenumber**, **meta.ucd**, **stat.error.sys**
7. Typos were corrected in **em.opt.*** units and a few other descriptions.

References

- [1] R. Hanisch, *Resource Metadata for the Virtual Observatory* , <http://www.ivoa.net/Documents/latest/RM.html>
- [2] R. Hanisch, M. Dolensky, M. Leoni, *Document Standards Management: Guidelines and Procedure* , <http://www.ivoa.net/Documents/latest/DocStdProc.html>