MCT models **Status update**

Mark Cresitello-Dittmar









Coordinates model Progress this semester

- Document last updated Mar. 10, 2020
- Made formal comparison against AstroPy:
 - Writeup: https://wiki.ivoa.net/internal/IVOA/STC2/CoordsComparisonwithAstroPy-200702.pdf
 - diagram: <u>https://volute.g-vo.org/svn/trunk/projects/dm/STC/Coords/doc/diagrams/Coords_AstroPy.png</u>
- Usage under MANGO (Source model) development/implementation
- Coordinate system modifications exercised in Transform implementation
- Released to working group: Sept. 2020
 - Highlighting Epoch, and Space-centric Point elements from comparison





astropy.time			
{TimeSys/TimeStamp: value(s) pushed to Representation }			
(TimeFrame: only scale)	T TimeFormat + value : <no type=""> Format ~= Representation includes instantiation of Standard 1D CoordSpace</no>		
	T TimeUnique		
	T TimeYMDHMS T TimeDateTime T TimeString T TimeMJD T TimeJD T TimeDecimalYear T	TimeEpochDate TimeFromEpoch TimeInstant types}	
		T TimeBasselianEpoch	
	T TimeFITS T TimeISO T TimeEpochDateString {Epoch: as Time type}		
	T TimeYearDayTime T TimeBasselianEpochString	T Imev's	
	T TimeDatetime64		
astropy.coordinates			
{Point: value(s) pushed to Representation }			
T SkyCoord			
\$ 1		Frame-centric aliases	
	{SpaceSys: frame and coordspace }	for Point axes in default representation	
	{SpaceSys: frame and coordspace } BaseCoordinateFrame + representation : BaseRepresentation	BaseBabeFrame BaseFellintieFrame Galactic Galacteentric SuperGalactic	ITPR
	(SpaceSys: frame and coordspace) BaseCoordinateFrame + representation : BaseRepresentation 1 GenericFrame Sky + origin + rotation	BaseRaDecFrame BaseRclipticFrame Galactic YffsetFrame + i: Angle * m: Angle + i: Angle * dec: Angle + i: Angle * des: Angle + i: Angle * des: Angle + i: Angle * distance Quantity * distance Quantity * distance Quantity * m= gl(cosgi t): Angle + idtance	ITRS + obstime : Time
	<pre>{SpaceSys: frame and coordspace } BaseCoordinateFrame + representation : BaseRepresentation f GenericFrame f Sk * origin * rotatio * rotation * rotation * rotation * rotation</pre>	BaseRaDecFrame BaseCellpticFrame Galactic SuperCalactic * m: Angle * m: Angle * m: Angle * is Angle * distance Quantity * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * view (0.1] * view (0.1] * view (0.1] * view (0.1] * distance Quantity * view (0.1] * view (0.1] * view (0.1] * view (0.1] * view (0.1] * view (0.1] * view (0.1] * view (0.1] * view (0.1] * distance Quantity * one (0.1] * view (0.1]<	ITRS + obstime : Time
	(SpaceSys: frame and coordspace) * trame * trane * tra	BaseRalecFrame BaseRalpicFrame Galactic * ra: Angle * ra: Angle * ra: Angle * ra: Angle * de: Jondity 0.11 * ra: Angle * scalar columntity * scalar columntity * scalar columntity * rai: Angle * scalar columntity * scalar relocity: Countity [01] * scalar relocity: Quantity [01] * rai: Angle * scalar relocity: Quantity [01] * radial relocity: Quantity [01] * scalar relocity: Quantity [01] * radial relocity: Quantity [01] * scalar relocity: Quantity [01] * scalar relocity: Cuantity [01] * scalar relocity: Quantity [01] * scalar relocity: Quantity [01] * scalar relocity: Quantity [01] * scalar relocity: Quantity [01] * scalar relocity: Quantity [01] * s	TRS + obstime : Time
	SpaceSys: frame and coordspace ; + frame + frame	BaseRaDecFrame BaseRaDecFrame Superint of means YitesFrame BaseRaDecFrame BaseRaDecFrame * dec: Angle * angle * angle	+ obstime : time
	SpaceSys: frame and coordspace ;	BaseAldecFrame BaseCallplicFrame SuperGalactic StyCoord • :: Angle • :: Ang	ITRS + obstime : Trne it/Az it/ duantity [01] [01] 1]
	SpaceSys: frame and coordspace; + tran + t	Interview Or Point axes in default representation Miniferane BycCoold BycCoold Interview BycCoold	ITRS + obstime : Time ItAz Itaz
Spa P	Spaces: frame and coordspace ; ************************************	Tor Point axes in Gefault representation Misting and the second of	ITRS + obstime : Trne Ht/z ity Juantity [01] Juantity [01] Juantity [01] Juantity ity ity Countity : Quantity
Spa Spa Spa Score	escentric of spaces into and and or space and and standard cordspace into and and or space and into and and i	Or Point asses in default representation Outgrade Very Code 1: none 1: no	ITRS + obstime : Time + obstime : Time iVarity [01] [01] [01] [01] [1] 1] 1] 1] 1] 1] 1]
Spa P S Cor	Spaces to another sease to a	Or Point accessing Or Point accessing Orderation Orderation Orderation Orderation Orderation Orderation Orderation Orderation Orderation Orderation O	HAz HAZ HJ
Spa P s Cor	secentific in the intervention in the intervention inte	Or Point axes in draw Or Point axes in draw Market Market </th <th>ITRS + obstime : Trme ity Juantity [01] Juantity [01] Juantity (D1] Juantity (D1] Juantity :: Quantity :: Quantity</th>	ITRS + obstime : Trme ity Juantity [01] Juantity [01] Juantity (D1] Juantity (D1] Juantity :: Quantity :: Quantity
Spa P S Cor	eventified in the intervention of the control of th	Order Order View	ITRS + obstime : time ity Juantity [0.1] [0.1] Juantity :: Quantity :: Quantity

astropy.units astropy.units.qua	
	T ndArray
	+ value : <no type=""></no>
	(singular or arra





Measurement model **Progress this semester**

- Document last updated Apr. 13, 2020 lacksquare
- Usage under MANGO (Source model) development/implementation
- Released to working group: Sept. 2020
 - "I don't believe there are open topics here.."
 - Followed by a rather lengthy discussion mostly regarding the overall approach the working group is taking when relating/reusing models.
 - See "Data Model Posture Review"; Wed. 6:00 UTC session.

Meas/Coords RFC 2 Second round

- - Review period: Oct 26 Dec 07
 - Meas: <u>https://wiki.ivoa.net/twiki/bin/view/IVOA/MeasRFC2</u>
 - Coords: <u>https://wiki.ivoa.net/twiki/bin/view/IVOA/CoordsRFC2</u>
 - models and how they may be used in application.
 - We'll be following up on this
 - interested in.

Chairs petitioned the TCG to start RFC-2 period for both Meas and Coords models.

• Suggested that we hold a workshop to help interested parties get familiar with the

Would appreciate any ideas/requests on format and/or content that people would be

Meas/Coords RFC 2 Status

- Coordinates model comments
 - single Point type to again supporting Space-centric Point types
- Measurement model comments
 - None to date (other than the email thread)

 Experience using Vizier on annotated VOTables: requests moving from the (GenericPoint, CartesianPoint, SphericalPoint, CelestialPoint/LonLatPoint)

Transform model Progress this semester

- Document last updated Aug. 03, 2020
- - Rename "Unit" transform as "Identity"
 - M,N in Matrix transform -> row, column
 - such as
 - energy wavelength
 - equatorial galactic
 - date mid
 - FITS paper IV: time transforms

• Released to working group Sept. 2020; with small list of change requests from the author list. These were not folded into the document yet assuming there would be further comments from the working group.

• Specifically mention that the model does NOT cover frame/property/representation level transforms

Transform Model Implementation project

- Released a new version of AST (v9.2.3)
 - Contains a new YamlChan class that allows AST to read and write WCS information as ASDF
- Delivered sample scripts
 - Loads LSST image wcs, including Polynomial distortion, exports to ASDF. Then uses AST and gWCS to transform various pixel coords to sky coords
 - Loads FITS wcs and exports ASDF instances





Transform Model Implementation project

- Released a new version of AST (v9.2.3)
 - Contains a new YamlChan class that allows AST to read and write WCS information as ASDF
- Delivered sample scripts
 - Loads LSST image wcs, including Polynomial • distortion, exports to ASDF. Then uses AST and gWCS to transform various pixel coords to sky coords
 - Loads FITS wcs and exports ASDF instances



Approach being taken with VOTable instances. Good approach for large number of players.



Transform Model Implementation project

- Released a new version of AST (v9.2.3)
 - Contains a new YamlChan class that allows AST to read and write WCS information as ASDF
- Delivered sample scripts
 - Loads LSST image wcs, including Polynomial distortion, exports to ASDF. Then uses AST and gWCS to transform various pixel coords to sky coords
 - Loads FITS wcs and exports ASDF instances



However, these are the only **players**. Resources only allow for the more direct approach.



Goals This coming semester

- Meas/Coords
 - Complete RFC-2 period
- Transform model
 - PLEASE REVIEW!
 - Wrap up working group review of current draft
 - Incorporate comments, and submit as PR to begin RFC process

address change requests and submit for REC approval, early 2021