## **SIA2 2D prototype**

## F.Bonnarel (CDS),

Development supported by the EuroVO-AIDA project

## 2 Methods

- Query Method
  - New response ( with utypes and ucds, consistent with ObsTap Utypes but more extended, Mapping (WCS) section
  - More QUERY PARAMETERS : TIME, POL, BAND + Optionnal
    = (ASTCALIB, FLUXLIMIT, SPATRES, SPECRES, ....)
- Access Data Method (New!!!)
  - Cutouts in angular or pixel dimension (cfitsio syntax for the latter)
  - Transforms (resampling)


























































File Edit Image Catalog Overlay Tool View Interop Help

🖻 🔛 🔇 🌒 Location 435.2000 332.9000

2MA\$5\_J\_991128N\_JI0300256

Allsky opt 🔸 Allsky IR 🔸 GLIMPSE 🔸 DSS 🔸 Simbad 🔸 NED 🔸 NOMAD



AI SIA2 308.7160833333333/60.153333333333333

(c)1999-2010 UdS/CNRS - Centre de Donnees astronomiques de Strasbourg

AIDA

t,

grid north





- 0 X

Magin

1 sel / 1920 src 22Mb 00:16

21/05/2010

I. .....

FR 🔺 🏴 🗎

XY im... •

+98+

8 0

## **Towards 3D + Future**

- IN case of 3D data
  - POL, BAND, TIME may drive real Filtering
  - Reduction of axes will be implemented
  - Cutout on 3 axes
- Link of DataAccess with Query response (via ObsID, probably)

