

Euro-VO Resources Validation Status

Christophe Arviset, Costas Vrioni, Juan Gonzalez ESAC Science Data Centre,

IVOA interop, Observatoire de Paris, Paris, France, 15/05/2019

Issue/Revision: 1.0 Reference: VO Service Compliance Statistics Status: Issued ESA UNCLASSIFIED - Releasable to the Public



http://registry.euro-vo.org/





Welcome to the new EURO-VO Full Harvestable VO Resource Registry.

The new Euro-VO Registry offers you the following main functionalities:

For astronomers and end users:

Search the VO resources through the Simple Search Panel, the Advanced Search or through the expert ADQL Search

Panel (click on the Q icon).

For data publishers:

Q

:=

ľ

٥

0

Host your resources with EuroVO, create and update your own VO Resources via a password-protected interface,

check their compliance with the associated IVOA standards (click on the 📼 icon; requires an account: click Join to

join).

For VO Applications developers and for other IVOA Registries:

Harvest the registry, retrieve individual resources, or search the registry through its programmatic <u>OAI-PMH</u>, <u>RI1</u> and <u>RegTAP</u> interfaces (click on the **1** icon to find more information).


If you have any question regarding the EURO-VO Registry, please send an email to:

esavo.registry@sciops.esa.int.





VOResources evolution



Many updates the last months...

Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide

Compliance mappings




- Compliant (no requirement fails)
 A++ no criterion fails
 A+ no requirement, warning or recommendation fails
 A no requirement or warning fails, but at least one recommendation fails
 B no requirement fails, but at least one warning fails
- partially compliant (some (but not all) requirements fail)
 - **C** at least one (1) req fails, but at least one (1) req equally succeeds
 - **C-** at least two (2) reqs fail, but at least one (1) req equally succeeds
 - **C--** at least three (3) reqs fail, but at least one (1) req equally succeeds

not compliant (all requirements fail)

- **D** all reqs fail but some other criterion (of lesser importance) succeeds
- E no criterion succeeds

Criterion Type		
name	description	
REQUIREMENT	Tests drawn from 'MUST' statements in the respective standard	
WARNING	Tests drawn from strongly encouraged 'SHOULD' statements in the respective standard	
RECOMMENDATIO	Tests drawn from 'SHOULD' statements in the respective standard	
EXTRA	Criteria not defined in the IVOA 'Service Validation' wiki	

SCS Services Compliance – all registries



SCS compliance category distribution over time for all registries

Most of the services are compliant... No particular action needed

Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide


ESA UNCLASSIFIED - Releasable to the Public



Highcharts.com

=

Validation criteria failed for SCS Services



	Criterion Type	
name	description	
REQUIREMENT	Tests drawn from 'MUST' statements in the respective standard	
WARNING	Tests drawn from strongly encouraged 'SHOULD' statements in the respective standard	
RECOMMENDATION	Tests drawn from 'SHOULD' statements in the respective standard	
EXTRA	Criteria not defined in the IVOA 'Service Validation' wiki	







val_code	criterion_type	description
		The VOTable MUST comply with these conditions: [] Exactly one FIELD must have ucd='ID_MAIN', with an
2.2c-i	REQUIREMENT	array character type (fixed or variable length)
		The VOTable MUST comply with these conditions: [] Exactly one FIELD must have ucd='POS_EQ_RA_MAIN',
2.2c-ii	REQUIREMENT	with type double
		The VOTable MUST comply with these conditions: [] Exactly one FIELD must have
2.2c-iii	REQUIREMENT	ucd='POS_EQ_DEC_MAIN', with type double
.effc.xsd	EXTRA	The effective response is XSD-valid XML
.zero.mime-	RECOMMENDATI	
should	ON	The MIME type of the zero response has the recommended value ('text/xml')
		The MIME type of the zero response has a legal value ('text/xml', 'text/xml;content=x-votable' or
.zero.mime-lega		'text/xml;votable'
.effc.mime-	RECOMMENDATI	The MIME type of the effective response has the recommended value
should	ON	('text/xml')
		The MIME type of the effectie response has a legal value ('text/xml', 'text/xml;content=x-votable' or
.effc.mime-legal		'text/xml;votable'
.zero.xsd	EXTRA	The zero response is XSD-valid XML
2.2b-ii	REQUIREMENT	The effective response has to contain some data
.on	REQUIREMENT	The service is ON
2.2a-ii	REQUIREMENT	The service must respond with an XML document in the VOTable format [for the effective URL]
2.2a-i	REQUIREMENT	The service must respond with an XML document in the VOTable format [for the zero URL]
2.3b-i	REQUIREMENT	no INFO elements with @name='Error' should appear in the zero response
2.3b-ii	REQUIREMENT	no INFO elements with @name='Error' should appear in the effective response
2.2b-i	REQUIREMENT	The zero response contains no data



SIA Services Compliance – all registries







Criterion Type		
name	description	
REQUIREMENT	Tests drawn from 'MUST' statements in the respective standard	
WARNING	Tests drawn from strongly encouraged 'SHOULD' statements in the respective standard	
RECOMMENDATION	Tests drawn from 'SHOULD' statements in the respective standard	
EXTRA	Criteria not defined in the IVOA 'Service Validation' wiki	

Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide



VAL_CODE	CRITERION_TYPE	DESCRIPTION
.METD.XSD	EXTRA	The metadata response is XSD-valid XML
4.2.4.B.III	WARNING	Exactly one field should have ucd='VOX:WCS_CoordProjection', with datatype='char', and arraysiz
4.2.4.C.II	WARNING	Exactly one field should have ucd='VOX:BandPass_Unit', with datatype='char', and arraysize='*'
4.2.4.C.III	WARNING	Exactly one field should have ucd='VOX:BandPass_RefValue', with datatype='double'
4.2.4.E.III	WARNING	Exactly one field should have ucd='VOX:Image_FileSize', with datatype='int'
4.2.4.C.V	WARNING	Exactly one field should have ucd='VOX:BandPass_LoLimit', with datatype='double'
4.2.4.C.IV	WARNING	Exactly one field should have ucd='VOX:BandPass_HiLimit', with datatype='double'
4.2.4.B.I	WARNING	Exactly one field should have ucd='VOX:STC CoordRefFrame', withdatatype='char', and arraysize:
.ZERO.XSD	EXTRA	The zero response is XSD-valid XML
4.2.4.A.III	WARNING	Exactly one field should have ucd='VOX:Image_MJDateObs', with datatype='double'
4.2.4.C.I	WARNING	Exactly one field should have ucd='VOX:BandPass_ID', with datatype='char', and arraysize='*'
4.2.4.D.I	WARNING	Exactly one field should have ucd='VOX:Image_PixFlags', with datatype='char', and arraysize='*'
4.2.4.A.II	WARNING	Exactly one field should have ucd='INST_ID', with datatype='char', and arraysize='*'
.EFFC.XSD	EXTRA	The effective response is XSD-valid XML
4.2.4.B.IV	WARNING	Exactly one field should have ucd='VOX:WCS_CoordRefPixel', with datatype='double', andarraysiz
4.2.4.B.V	WARNING	Exactly one field should have ucd='VOX:WCS_CoordRefValue', with datatype='double', and arrays
4.2.4.B.VI	WARNING	Exactly one field should have ucd='VOX:WCS_CDMatrix', with datatype='double', and arraysize='*
.ZERO.MIME-LEGAL	REQUIREMENT	The MIME type of the zero response has a legal value ('text/xml;content=x-votable')

• • •

There are also $\sim 15\%$ of the services that could not been tested due to wrong structure in VOTable returned. (next slides)

Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide



Issues 1/2: Wrong structure in VOTABLE





Action required for Euro-VO Portal validator:

- Change validator to mark these cases as non compliant
 - VOTable being returned is not compliant



Issues 2/2: SIAv1 vs SIAv2 both versions are used



Version incompatibility on input parameters (The SIZE is removed on SIAv2):

The SIZE parameter:

- a. For some is reported as error (SIAv2) <u>https://casda.csiro.au/casda_vo_tools/sia2/query?POS=0.0,0.0&SIZE</u> <u>=10.000</u>
- b. For some is optional? <u>http://archive.stsci.edu/siap/search.php?id=borg&POS=0.0,0.0</u>
- c. For some is mandatory (SIAv1) <u>http://archives.esac.esa.int/hsa/aio/jsp/siap.jsp?POS=0.0,0.0&SIZE=</u> 0.200

Action required for Euro-VO Portal validator:

- 1. Initially validate only SIAP 1.0 services
- 2. Then update validator so it covers both SIAP 1 and SIAP 2



Potential actions to be taken:

1. Improve the standard: erratum for all the 4.2.4.* warnings ?

2. Improve the Euro-VO Registry validator:


a. Improve the search algorithm for validation test data, adapt test query params based on limits defined by the service itself.


3. Improve the services:

- a) Wrong structure in VOTABLE
- b) Some services are XSD invalid (most common problem the missing xsi:type="vs:ParamHTTP")
- c) Contact with the low Compliance Category services and report findings.



SSA Services Compliance – all registries






Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide








Criterion Type	
name	description
REQUIREMENT	Tests drawn from 'MUST' statements in the respective standard
WARNING	Tests drawn from strongly encouraged 'SHOULD' statements in the respective standard
RECOMMENDATION	Tests drawn from 'SHOULD' statements in the respective standard
EXTRA	Criteria not defined in the IVOA 'Service Validation' wiki





URL: http://www.ivoa.net/documents/SSA

Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide



Potential actions to be taken:


 Update the Standard (errata?): Are the many REC (4.2.5.x) failures really important for the SSA services? They seem to fail for 40% of the services. Suggest an erratum?

2. Improve the validator:

a. Improve the search algorithm for validation test data, adapt test query params based on limits defined by the service itself.


3. Improve the services:

- a) Wrong structure in VOTABLE
- b) Some services are XSD invalid (most common problem the missing xsi:type="vs:ParamHTTP")
- c) Contact with the low Compliance Category services and report findings.






TAP Services Compliance – all registries



Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide






	Criterion Type	
name	description	
REQUIREMENT	Tests drawn from 'MUST' statements in the respective standard	
WARNING	Tests drawn from strongly encouraged 'SHOULD' statements in the respective standard	
RECOMMENDATION	Tests drawn from 'SHOULD' statements in the respective standard	
EXTRA	Criteria not defined in the IVOA 'Service Validation' wiki	



REQUIREMENTS failed for TAP Services



Criterion Type	
name	description
REQUIREMENT	Tests drawn from 'MUST' statements in the respective standard
WARNING	Tests drawn from strongly encouraged 'SHOULD' statements in the respective standard
RECOMMENDATION	Tests drawn from 'SHOULD' statements in the respective standard
EXTRA	Criteria not defined in the IVOA 'Service Validation' wiki

Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide






VALCODE	Description
E_QERR	Query failed
E_KEYX	Unknown standard language feature key
E_CRSV	Column name ADQL reserved word
E_CTYP	Declared/result type mismatch
E_CUCD	UCD mismatch
E_DENO	Non-404 response for deleted job
E_DFIO	Duff query failed
E_CLRD	Unexpected columns in result
E_VOCT	Bad Content-Type for VOTable
E_QERX	Query result parse error
e_jdio	Error reading job document
E_JBIO	Job read error
E_HTDE	HTTP DELETE failure
E_EXIO	Error reading examples document
E_PAMM	Bad job parameter value







	The second se
name	description
REQUIREMENT	Tests drawn from 'MUST' statements in the respective standard
WARNING	Tests drawn from strongly encouraged 'SHOULD' statements in the respective standard
RECOMMENDATION	Tests drawn from 'SHOULD' statements in the respective standard
EXTRA	Criteria not defined in the IVOA 'Service Validation' wiki





VAL CODE	Description
W_EX00	No examples in examples document
W_CUCD	UCD mismatch
W_EXVL	Example query does not validate
W_UNSC	Foreign schema used in validation
W_CUNI	Unit mismatch
W_CTYP	Datatype possible mismatch
W_QERR	Query failed
W_CUTP	UType mismatch
W_TYPI	ObsCore datatype mismatch
W_QTYP	Query/result column type possible mismatch
W_UPCS	Custom upload method
W_CEZZ	Compression
W_CLUN	Columns content
W_IODM	Incorrect ObsCore ID
W_CIDX	Index flag mismatch

Christophe Arviset, Costas Vrioni, Juan Gonzalez | VO Service Compliance Statistics | 15/05/2019 | Slide





Potential actions to be taken:

- 1. Update the Standard: need to check if all warnings always failing are covered in TAP 1.1 PR
- **2. Improve the validator:** N/A

3. Improve the services:

- a. Need to do more fine grained analysis of many errors returned
- b. Try to find if more systematic error pattern
- c. Contact TAP service providers for them to improve their service



Conclusions

- 1. Still some work to be done to improve the Euro-VO Registry Validators
- 2. Need to discuss with DAL WG to determine if some of the DAL standards should be corrected with some Errata
- **3.** Need to start contacting publishers of VOResources for them to improve their service compliancy
 - a. Time consuming
 - Will also be made easier with the new Euro-VO Registry Portal (ee Registry II session on Thursday 14:00)

