

# arraysize=1 means what?



Markus Demleitner  
*msdemlei@ari.uni-heidelberg.de*



**Pop quiz! (Compulsory participation):** Are

`<column name='i' type='integer' arraysize='1'>`

and `<column name='i' type='integer'>`

1. equivalent?
2. different?
3. don't care.
4. don't know.

# Let's see.

Take this VOTable ("test.vot"):

```
<?xml version='1.0'?>
<VOTABLE version="1.3"
  xmlns="http://www.ivoa.net/xml/VOTable/v1.3">
<RESOURCE>
<TABLE name="trap">
<FIELD datatype="short" name="f1" arraysize="1"/>
<FIELD datatype="short" name="f2"/>
<DATA>
<TABLEDATA>
  <TR>
    <TD>1</TD>
    <TD>1</TD>
  </TR>
</TABLEDATA>
</DATA>
</TABLE>
</RESOURCE>
</VOTABLE>
```

# Astropy

Then the following program:

```
from astropy.table import Table
```

```
t = Table.read("test.vot")
```

```
print(t.columns[0])
```

```
print(t.columns[1])
```

prints

```
f1 [1]
```

```
-----
```

```
1
```

```
f2
```

```
---
```

```
1
```

A 1-array and a scalar!

# TOPCAT

Load the table into TOPCAT, check the metadata:

	Name	Datatype	Shape
<	Index		
	f1	short	
	f2	short	

It's two scalars!

# How Bad Is It?

Well, numpy magic where 1-arrays are sometimes quite like scalars prevent the worst.

But I *have* had to write code like

```
def force_scalar(val):  
    if np.isscalar(val):  
        return val  
    else:  
        return val[0]
```

to deal with VizieR output (that has `arraysize='1'`).

# What Do We Do?

I see five main options:

- Problem? What problem?
- Nudge people to drop `arraysize=1` for scalars (Note? Mild erratum?)
- Nudge people to have `arraysize=1` for scalars (Note? Mild erratum?)
- Require people to only write `arraysize=1` when they have 1-arrays (“Strong array erratum”)
- Require people to interpret `arraysize=1` as scalars (“Strong scalar erratum”)