

IVOA interop, October 2022 Hendrik Heinl, Dave Morris








Everyone invited to develop science use cases

Science based interest groups

Working group discussions



IVOA working groups

Science priorities committee



Scientists from IVOA members and major astronomy projects

Request For Comment (RFC) document





IVOA recommendation







D.Morris Institute for Astronomy, **Edinburgh University**

Anyone can raise issues

Introduction to the VO **IVOA** interop October 2022















The Virtual Observatory

Data from all over the world in the cloud






Lots of individual services each playing their part But ... how do you know where everything is ?



October 2022


















Registration metadata includes a description of the data they provide and the technical details of how to connect

D.Morris Institute for Astronomy, Edinburgh University Introduction to the VO IVOA interop October 2022















Simple Cone Search


One of the earliest services defined by the IVOA

Version 1.0 adopted as an IVOA recommendation in 2006

 $RA = 170^{\circ} (deg)$

 $DEC = 25^{\circ} (deg)$

 $SR = 30^{\circ} (deg)$



https://ivoa.net/documents/latest/ConeSearch.html



Simple Cone Search


Simple HTTP GET request

https://ivoa.example.net/cone?RA=170&DEC=25&SR=30

 $RA = 170^{\circ} (deg)$

 $DEC = 25^{\circ} (deg)$

 $SR = 30^{\circ} (deg)$



https://ivoa.net/documents/latest/ConeSearch.html










Unified Content Descriptors (UCD)

Different data providers have a different table structures


Data provider #1 Data provider #2





Unified Content Descriptors (UCD)


TAP schema and UCDs enable clients to figure out the mapping












The Virtual Observatory

All the data from the cloud available on your desktop







All the data from the cloud to each desktop app

Each application maintains its own connection to the VO











SAMP is a message bus within your local computer Applications can use SAMP to send messages to each other

table.load.votable http://example.org/.../table.vot image.load.fits http://example.org/.../image.fits coord.pointAt.sky <ra,dec>









Messages can be sent to specific applications

Send to Aladin:


image.load.fits http://example.org/.../image.fits

Or broadcast to all listeners

Send to all:

coord.pointAt.sky <ra,dec>





The Virtual Observatory

If we have done our job right, all the details disappear

All the data from the cloud appears to be one big dataset accessible through your desktop









Search for:


"Services with neutrino data"





Clients query the registry to find services that contain data they are interested in







Registry Resource Record:

Service capabilities

TAP, ObsTap, ConeSearch, SIAP, SSAP

Collection metadata

Sky coverage (MOC)

Waveband

Infra-red, optical, ultra-violet, xray

Database catalogs

Table and column metadata



"Services with neutrino data"



Data providers publish metadata about their services and the data they contain

Client applications can use standard terms to help the user discover the data they need





Registry Resource Record:

Service capabilities

TAP, ObsTap, ConeSearch, SIAP, SSAP

Collection metadata

Sky overage (MOC)

Waveband

Infra-red, optical, ultra-violet, xray

Database catalogs

Table and column metadata



For more details on how to publish data:

https://wiki.ivoa.net/twiki/bin/view/IVOA/PublishingInTheVO

The service standards define what metadata is required for each type of service









Observation Data Model Core Components


ObsCore adds a standard view to the data in each data provider


Data provider #1

Data provider #2

CREATE VIEW ivoa. ObsCore (....)

CREATE VIEW ivoa. ObsCore (....)






https://www.ivoa.net/documents/ObsCore/





Observation Data Model Core Components

Now the public tables in **both** providers are the same







Observation Data Model Core Components

Now, the same query can be applied to **both** services

ivoa.ObsCore

ivoa.ObsCore

ivoa.ObsCore

SELECT

* Obs_id

FROM ivoa.obscore AS db

JOIN_TAP_UPLOAD.It AS mine

ON 1=CONTAINS (

POINT('ICRS', db.s_ra, db.s_dec),
CIRCLE('ICRS', mine.RA, mine.Decl, mine.Beta)

)

AND
db.dataproduct_type='image'











Everyone invited to develop science use cases

Science based interest groups

Scientific use cases

theory

time-series

Science priorities for the IVOA

Science platforms

Machine learning

Science priorities committee

Multi-messenger astronomy

Scientists from IVOA members and major astronomy projects

Request For Comment (RFC) document

IVOA working groups

e.g. DataAccessLayer,

Applications,


Semantics



Everyone invited to comment

Anyone can raise issues

Working group email list



New standards being developed

ObjVisSAP ObsLocTAP

TIMESYS Multi-order Coverage (MOC)

Hierarchical Progressive Surveys (HiPS)

IVOA recommendation





