

VESPA: EPNCORE and other topics

Stéphane Erard
Baptiste Cecconi
Pierre Le Sidaner
François Andrieu
Angelo Pio Rossi
Mikhail Minin
Pierre Fernique
Chiara Marmo
Vincent Génot
Nicolas André
Michel Gangloff

PADC / Observatoire de Paris

Jacobs Univ, Bremen

CDS, Strasbourg
GEOPS, Univ Paris Sud
IRAP, CDPP

Nick Achilleos
Kevin Benson
Bernard Schmitt
Maria Teresa Capria
Benoît Carry
Ricardo Hueso
Anni Määttänen
Ehouarn Millour
Ondrej Santolík
Jan Soucek
Manuel Scherf
Tarek Al-Ubaidi
William Thuillot
Ann Carine Vandaele

UCL, London

IPAG, Grenoble
IAPS, Rome
OCA, Nice + IMCCE
EHU/PVU, Bilbao
LATMOS
LMD, Paris
IAS, Prague

IWF, Graz

IMCCE
IASB-BIRA, Brussels



VESPA includes 18 contributing participants (labs) in 13 beneficiary institutes:

Observatoire de Paris
(IMCCE, LESIA)



IAPS/INAF Rome



Jacobs Univ. Bremen



CNRS
(IRAP IPAG LATMOS
GEOPS CDS)



IWF Graz



IASB-BIRA Brussels



UCL London



IAP Prague



UPV/EHU Bilbao



IGN/PAS Wroclaw



Univ. Bern



SINP/Lomonosov Univ.



GFI Toulouse




+ Contributions from
the community

A Virtual Observatory in Planetary Science

Built on astronomical VO developments

+ previous European programs: IMPEX, HELIO, VAMDC...

+ interfaces with: PDS, GIS/OGC, etc...



IVOA standards used in VESPA

Recently:

Big progress on:

- HEALPix maps support (TOPCAT and Aladin)
- Support for footprints through STC-S strings (TOPCAT; e.g. extended pixels)
- Support for reflectance spectra (CASSIS)
- DaCHS installation on Docker, very quick for new services/providers

Other standards of importance:

- SAMP (to exchange data between tools and search interfaces)
- Coordinate frames in the Solar System (see S. Joy's presentation)
- Observatory / spacecraft list
- UCDs — essential to identify quantities
- Datalink
- etc...

VESPA DAL

Main Data Access Protocol: EPN-TAP 2.0

- TAP mechanism

- EPN-TAP parameters

Set of EPNCore parameters — similar to ObsCore, wider scope

Require UCDs — used by some tools to understand data correctly (spectro)

Utype — EPNCore / EPN-TAP doc in progress

- Rules

Parameter usage + syntax for new ones

EPN-TAP v1 published in 2014 (Erard et al, A&C 7, 52)

EPN-TAP v2.0 Reworked during Europlanet-2020

Data services connected via EPN-TAP

Currently:

48 interoperable data services connected, from 16 institutes (~ 15 in dev)

Encompass many aspects of Solar System studies:

- surfaces
- small bodies / satellites / rings / dynamics
- atmospheres
- magnetospheres / radio observations
- solar physics / planetary plasmas
- exoplanets
- solid spectroscopy / experimental reference data
- + multiple content services (ESA/PSA, VizieR catalogues,...)

Most services implemented on DaCHS + some on TAPlibrary (ESA/PSA...)

Very efficient call/workshop procedure to involve the community

EPN-TAP 2.0

- Parameter table: 160+ standard parameters with UCD

<https://voparis-wiki.obspm.fr/display/VES/EPN-TAP+V2.0+parameters>

- Parameter description:

<https://voparis-wiki.obspm.fr/display/VES/EPN-TAP+v2+parameter+description>

- Mandatory parameters:

allow global searches on all services from the VESPA portal

- Optional parameters:

extra standard parameters — for common situations

parameters from thematic extensions

- Free parameters:

Additional parameters+UCD can be used in a service

EPN-TAP 2.0

Mandatory parameters: 46 — allow global searches on all services

- Target description
- Data /measurement description
- Range on axes: temporal, spatial, spectral, 3 illumination angles
- Data reference & origin

Optional parameters: 42 - to be used in common situations

- File access (when data not in table)
- Additional data and target description

Thematic extensions: ~75, available when needed

- To be used consistently in related services
- In particular, provide additional axes

EPN-TAP 2.0

Rules on parameters, e.g.:

- One data product / line
- *_min / *_max associated values
 - must contain the same value if not relevant / unknown
- some can be multivalued:
 - hash-lists only
- Call-back parameters:
 - currently uses service_title (may use ivOID in the future)
- Convention to provide associated files
 - e.g. PDS detached labels via datalink

EPN-TAP 2.0 - open points

UCDs

- **Most issues solved with 2018 discussions**

remaining issue with phys.reflectance, to be clarified

- **modification date?** time.processing, but ?
- **map projections?** pos.projection?? (there is a pos.lambert)
- **map scale?** pos.wcs.scale would do?
- **numerical constants?** arith.zp would do?
- **md5 or similar** meta.checksum;meta.file ??
- **datalink** meta.ref.url;meta.datalink ??
- **asymmetric error bars?** need for stat.error.min/max
- **particle spectroscopy?**
- **UCDs for VOevents?** type, status, cite (+ location of event)

Other UCDs are used in data files, less critical

EPN-TAP 2.0 - open points

Other points

- Clarify usage of inf / -inf / NaN in ADQL

at least inf/-inf should apparently exist, as per DALI - but do they?

- Clarify usage of s_region / STC-S strings

E-handed frames need to be supported with polygons for planets
(IAU convention)

EPN-TAP 2.0 / VESPA

- Europlanet doc being written

Due end of May

- More complete doc to be submitted to IVOA

Draft ready in the summer?