VOSA

A VO Spectral Energy Distribution Analyzer. Part 1/2

Carlos Rodrigo Blanco^{1,2}
Amelia Bayo Arán³
Enrique Solano^{1,2}
David Barrado y Navascués¹

¹CAB,INTA-CSIC ²Spanish Virtual Observatory ³European Southern Observatory

IVOA interoperability meeting Sao Paulo, Oct 21-26, 2012







VOSA (VO Sed Analyzer)

- a web tool: http://svo2.cab.inta-csic.es/theory/vosa/
- designed to automatically determine physical parameters from comparison of observed photometry with collections of theoretical models.
- for several objects at the same time. (\sim 1000 objects)
- More than 300 users analysing data.
- More than 6000 data files analysed.
- Using VO tools and services.



Workflow

- Build object SEDs.
 - Object properties: name resolution, distance, extinction.
 - User photometry tables + VO catalogs.
- Analyze object SEDs.
 - Fit observed data with theoretical spectra models and/or templates from the VO and estimate physical properties for the objects. (Chi-square test + Bayes analysis)
 - Generate a Hertzsprung-Russel diagram using the estimated parameters, obtaining isochrones and evolutionary tracks from the VO (only stars).
- 3 Save results as VOTable, ASCII, png, eps...



VOSA allows to analyze both stellar and galactic data but, given that the physics involved is not the same, there are some important differences between both cases.

Please, select first what type of objects you want to work with in this session.







Acknowledging VOSA in publications:

Please include the following in any published material that makes use of VOSA:

This publication makes use of VOSA, developed under the Spanish Virtual Observatory project supported from the Spanish MICINN through grant AyA2008-02156.

Referencing VOSA in publications:

If your research benefits from the use of VOSA, we would appreciate if you could include the following reference in your publication:

Bayo, A., Rodrigo, C., Barrado y Navascués, D., Solano, E., Gutiérrez, R., Morales-Calderón, M., Allard, F. 2008, A&A 492,277B.

Other services used in VOSA

VOSA uses some external services and theoretical models that you might want to cite or acknowledge if your science benefits from the use of this tool

See the complete credits page



SED building: User data

- User data files
 - Object name, RA, DEC, distance, Av,
 - Phot. points: filter, flux/mag, error
 - $\bullet \sim$ 1800 filters available (SVO Filter Profile Service).
 - Options: nofit.
 - Object options.
 - Av range (extinction becomes a fit parameter).
 - Infrarred excess.
 - Blue/UV excess.
- Simple VO object search.
- User files management.



Folder Default folder

Files	Objects	VO Phot.	SED	Chi-2 Fit	Bayes Analysis	HR Diag.	Save Results	Log	Help	Logout
Stars and bro	own dwarfs (C	hange)				File: prueba	(info) (Change)			

Upload your own data file (max size=500Kb)

It must comply with the required data format (A small utility is available to help you to convert an original file in ascii (csv) or votable to VOSA input format)

File to upload:		Browse
Description:		
File type:	Fluxes (erg/cm2/s/A) Fluxes (Jy) Magnitudes	
Upload	-	

Create a single object data file

Just write the coordinates (in decimal degrees) of one object that you want to study and we will create a single object data file with the adequate format.

RA and DEC are compulsory.

RA:	(deg)
DEC:	(deg)
Obj.Name:	
Description:	
Create	

Your files

Filename		Descrip	Last Used	Obj.type	N.Obj.	
only_Ha_sources_for_	testing.inputVOSA	prueba	2012-10-22 18:55:32	star	13	Selected
if you change sor	nething remember to click the save	button				
File properties			Actions			
Filename:	only_Ha_sources_for_testing.inp	utVOSA	Save Show Objects VOSA	Input Dele	te	
Uploaded:	2012-05-12 01:23:00					
Last used:	2012-10-22 18:55:32					
Obj. Type:	star					
N. objects:	13					
Descrip.:	prueba					
Folder:	Default					
Your comments						
Tour comment	•					
ext-prueba.dat		ext prueba	2012-10-22 15:57:59	star	26	Select
ei.distances2.dat		dis edis	2012-10-22 15:02:28	star	12	Select
640.vosa.dat		sargent 0	2012-10-04 12:30:54	star	1	Select
ej.iue.dat		iue	2012-10-04 12:28:26	star2	4	Select

by Ha courses for te			Descrip	Last Used		Obj.type	N.Obj.	
ny_na_sources_roi_te	sting.inputVOSA		prueba	2012-10-22	18:55:54	star	13	8
if you change some	thing remember to	click the save b	utton					
File properties				Actions				
	only_Ha_sources_fo	or testing.input	VOSA	Save Hide Obte	cts VOSA I	nput Delet	e	
	2012-05-12 01:23:00							
	2012-10-22 18:55:54							
	tar							
	13							
	prueba							
	Default •							
Your comments	_							
Tour comments								
ChaHa1								
Distance: 160 p	20833,-77.598333)							
A _v : 2.0	•							
User options: Av	r:0.1/8.0,							
	r:0.1/8.0, λmed	Flux (obs)	ΔF (obs)	Flux (der)	ΔF (der)			
User options: Av	λmed	Flux (obs) 4.774004e-18	ΔF (obs) 1.538957e-18	Flux (der) 5.287261e-17	ΔF (der)	-17		
User options: Av	Amed I.B 4378.11999165							
User options: Av Filter Generic/Johnson	Amed I.B 4378.11999165	4.774004e-18	1.538957e-18	5.287261e-17	1.704411e	-18		
User options: Av Filter Generic/Johnson Generic/Johnson	A _{med} .B 4378.11999165 .V 5466.11399596	4.774004e-18 1.423047e-17	1.538957e-18 1.310675e-18	5.287261e-17 9.152953e-17	1.704411e 8.430181e	-18 -17		
Filter Generic/Johnson Generic/Johnson CFHT/CFHT.R	λ _{med} B 4378.11999165 V 5466.11399596 6515.8719123	4.774004e-18 1.423047e-17 6.934001e-17	1.538957e-18 1.310675e-18 6.386451e-18	5.287261e-17 9.152953e-17 3.117611e-16	1.704411e 8.430181e 2.871426e	-18 -17 -16		
User options: Av Filter Generic/Johnson Generic/Johnson CFHT/CFHT.R DENIS/DENIS.I	Amed .B 4378.11999165 .V 5466.11399596 6515.8719123 7862.1015966 8090.44887259	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16	1.704411e 8.430181e 2.871426e 8.634147e	-18 -17 -16 -17		
User options: Av Filter Generic/Johnson Generic/Johnson CFHT/CFHT.R DENIS/DENIS.I CFHT/CFHT.I	Amed .B 4378.11999165 .V 5466.11399596 6515.8719123 7862.1015966 8090.44887259 J 12350	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e	-18 -17 -16 -17		
User options: Av Filter Generic/Johnson Generic/Johnson CFHT/CFHT.R DENIS/DENIS.I CFHT/CFHT.I 2MASS/2MASS.	Amed .B 4378.11999165 .V 5466.11399596 .6515.8719123 .7862.1015966 .8090.44887259 J 12350 H 16620	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e	-18 -17 -16 -17 -17		
User options: Av Filter Generio/Johnson Generio/Johnson CFHT/CFHT.R DENIS/DENIS.I CFHT/CFHT.I 2MASS/2MASS. 2MASS/2MASS.	Amed .B 4378.11999165 .V 5466.11399596 .6515.8719123 .7862.1015966 .8090.44887259 J 12350 H 16620	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 2.324229e-17	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 1.388179e-15	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e	-18 -17 -16 -17 -17 -17		
User options: Av Filter Generic/Johnson Generic/Johnson CFHT/CFHT,R DENIS/DENIS.I CFHT/CFHT,I 2MASS/2MASS. 2MASS/2MASS.	Amed B 4378.11999165 V 5466.11399596 6515.8719123 7862.1015966 8999.44887259 J 12359 H 16620 Ks 21590	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 2.324229e-17 1.278306e-17	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 1.388179e-15 7.288548e-16	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e	-18 -17 -16 -17 -17 -17 -17		
User options: Av Filter Generic/Johnson Generic/Johnson CFHT/CFHT/R DENIS/DENIS/J CFHT/CFHT/I 2MASS/2MASS. 2MASS/2MASS. 2MASS/2MASS. WISE/MISE_WI WISE/MISE_WI	Amed B 4378.11999165 V 5466.11399596 6515.8719123 7862.1015966 8090.44887259 J 12350 H 16620 Ks 21590 33156.5603084 45644.9905454	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 1.669687e-16 8.650895e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 2.324229e-17 1.278306e-17 9.227030e-19 6.374215e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: Av Filter Generic/Johnson Generic/Johnson CFHT/CFHT, DENIS/DENIS.I CFHT/CFHT, 2MASS/2MASS. 2MASS/2MASS. 2MASS/2MASS. WISE/WISE, WI WISE/WISE, WI WISE/WISE, WI	Amed B 4378.11999165 V 5466.11399596 6515.8719123 7862.1015966 8090.44887259 J 12350 H 16620 Ks 21590 33156.5603084 45644.9905454 107868.444578	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 1.669687e-16 8.650895e-17 2.716162e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 1.278306e-17 9.227030e-19 6.374215e-19 3.752517e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17 3.017880e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: Av Filter Generic/Johnson Generic/Johnson CFHT/CFHTR DENISOENSI CFHT/CFHTI 2MASS/2MASS. 2MASS/2MASS. 2MASS/2MASS. WISE/WISE.WI WISE/WISE.WI WISE/WISE.WI WISE/WISE.WI WISE/WISE.WI WISE/WISE.WI	Amed B 4378.11999165 V 5466.11399596 6515.8719123 7862.1015966 8090.44887259 J 12350 H 16620 Ks 21590 33156.5603084 45644.9905454	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 1.669687e-16 8.650895e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 2.324229e-17 1.278306e-17 9.227030e-19 6.374215e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: At Filter Generic Johnson Generic Johnson CFHT/CFHT DENNISCHES CFHT/CFHT 2MASS/2MASS. 2MASS/2MASS. 2MASS/2MASS. WISEAMSE WITH WISEAMSE WITH WISEAMSE WITH CFHT/CFHT/CFHT/CFHT/CFHT/CFHT/CFHT/CFHT/	Amed B 4378 11999165 V 3466 11399595 6515.8719123 7862.1015968 8090.44887259 J 12350 J 12350 J 12350 33156.5603084 45644.9905454 107868.444579 219149.640363	4,774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 6.650895e-17 2.716162e-17 2.142475e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 1.278306e-17 9.227030e-19 6.374215e-19 3.752517e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17 3.017880e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: At Filter Generic Johnson Generi	Mmed 1899165 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4,774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 6.650895e-17 2.716162e-17 2.142475e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 1.278306e-17 9.227030e-19 6.374215e-19 3.752517e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17 3.017880e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: At Filter Generic Johnson Generic Johnson CFHT/CFHT DENNISCHES CFHT/CFHT 2MASS/2MASS. 2MASS/2MASS. 2MASS/2MASS. WISEAMSE WITH WISEAMSE WITH WISEAMSE WITH CFHT/CFHT/CFHT/CFHT/CFHT/CFHT/CFHT/CFHT/	Mmed 1899165 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4,774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 6.650895e-17 2.716162e-17 2.142475e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 1.278306e-17 9.227030e-19 6.374215e-19 3.752517e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17 3.017880e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: At Filter Generic/Johnson Generi	Mmed 1999165 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4,774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 6.650895e-17 2.716162e-17 2.142475e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 1.278306e-17 9.227030e-19 6.374215e-19 3.752517e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17 3.017880e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: At Filter Generic Johnson Generic Generi	Mmed 1999165 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4,774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.440806e-15 9.705768e-16 5.782932e-16 6.650895e-17 2.716162e-17 2.142475e-17	1.538957e-18 1.310675e-18 6.386451e-18 2.730263e-16 1.715414e-17 3.184876e-17 1.278306e-17 9.227030e-19 6.374215e-19 3.752517e-19	5.287261e-17 9.152953e-17 3.117611e-16 9.374406e-16 1.118020e-15 2.543047e-15 7.288548e-16 1.908538e-16 9.502120e-17 3.017880e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e	-18 -17 -16 -17 -17 -17 -17 -18 -19		
User options: At Filter Generic/Johnson Generi	Mmed B 4378.11999165. B 4378.11999165. B 515.8719123 7802.1015968 B 5000.44887259 J 12350 H 16620 S 12190 33156.5603064 107868.444576 219149.640363 C 70.1/8.0,	4,774004e-18 1,423047e-17 2,964345e-16 3,724973e-16 3,724973e-16 5,762932e-16 8,650895e-17 2,716162e-17 2,142475e-17	1,538957e-18 1,310675e-18 2,730263e-16 1,715414e-17 2,324229e-17 1,278306e-17 9,22703e-19 6,374215e-19 3,752517e-19 2,190354e-18	5.287261e-17 9.152953e-17 9.152953e-17 9.374408e-16 1.118020e-16 1.118020e-15 1.388179e-15 7.288548e-16 9.502120e-17 3.017880e-17 2.222721e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.148674e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e 2.272394e	-18 -17 -16 -17 -17 -17 -17 -17 -17 -18 -19 -19 -18		
User options: Av Filter Generic/Johnson Generi	Mared 11999165 4 378.11999165 4 378.11999165 4 378.11999165 4 378.11999165 4 378.11999165 4 378.11999165 4 378.11999165 4 378.11999165 4 378.11999165	4.774004e-18 1.423047e-17 6.934001e-17 2.964345e-16 3.724973e-16 1.40006e-15 9.705768e-16 5.762932e-16 1.669687e-16 2.716162e-17 2.716162e-17 2.716162e-17	1,53897e-18 1,310676e-18 6,38645te-18 2,730263e-16 1,715414e-17 2,34229e-17 1,27830e-17 9,227030e-19 3,762517e-19 2,190354e-18	5.287261e-17 9.152953e-17 9.152953e-17 9.374406e-16 9.374406e-16 1.188020e-15 1.388179e-16 1.988538e-16 9.502120e-17 2.222721e-17	1.704411e 8.430181e 2.871426e 8.634147e 5.621359e 3.324257e 1.611120e 1.054697e 7.001421e 4.169356e 2.272394e	-18 -18 -17 -17 -17 -17 -17 -17 -18 -19 -19 -18 -18 -18 -17 -17 -17 -17 -17 -17 -17 -17 -17 -17		

CFHT/CFHT.R 6515.8719123 3.639015e-17 3.351657e-18 1.636146e-16 1.506946e-17

Folder Default folder

SED building: filters




Most of the filters from the SVO Filter Profile Service are available to be used in VOSA using the FilterID as name.

Some of them are not in the list below, in some cases to make the list more easy to browse (because they seem to be less popular filters) and in other cases because not all the synthetic photometry is ready yet. In any case, you can try to use them too.

If you want to upload your own photometry into VOSA as magnitudes, make sure that VOSA will transform those magnitudes to fluxes as you expect (click on the filter name in this list to see the details of the transformation for that case). If not, please, transform your photometry to fluxes before uploading it.

You can click on the table headers to sort the list by that field



SED building: VO photometry.

Photometry from VO catalogs.

- More than 20 catalogues.
- Infrared:
 - 2MASS, DENIS, MSX6C, AKARI, Spitzer, UKIDSS, WISE
- Optical:
 - Tycho, CMC14, Stromgren, Johnson, SDSS, IPHAS
- Ultraviolet:
 - GALEX, IUE





VO photometry

This option allows you to increase the wavelength coverage of the SEDs of your objects adding photometry from VO catalogues.

Take a look to the corresponding Help Section and Credits Page for more information.

First select the VO services that you want to use

Mark All Unmark All Query selected services

Infrared

2MASS All-Sky Point Source Catalog

2MASS has uniformly scanned the entire sky in three near-infrared bands to detect and characterize point sources brighter than about 1 mJy in each band, with signal-to-noise ratio (SNR) greater than 1.

Filters: 2MASS/2MASS.J 2MASS/2MASS.H

Search radius: 5 arcsec Show magnitude limits

MSX6C Infrared Point Source Catalog

Version 2.3 of the Midcourse Space Experiment (MSX) Point Source Catalog (PSC), which supersedes the version (1.2) that was released in 1999 (Cat. V/107), contains over 100,000 more sources than the previous version. More Info.

Filters: MSX/MSX.A MSX/MSX.C

Search radius: 5 arcsec

DENIS Catalogue

This catalogue is the latest incremental release of the DENIS project. It consists of a set of 355,220,325 point sources detected by the DENIS survey in 3662 strips (covering each 30 degrees in declination and 12 arcmin in right ascension). More Info.

Filters: DENIS/DENIS.I
Search radius: macsec
Show magnitude limits

AKARI/IRC mid-IR all-sky Survey (ISAS/JAXA, 2010)

The AKARI/IRC Point Source Catalogue Version 1.0 provides positions and fluxes for 870,973 sources observed with the InfraRed Camera (IRC). More Info.

Filters: MAKARI/IRC.S9W AKARI/IRC.L18W

Search radius: 5 are Show magnitude limits

AKARI/FIS All-Sky Survey Point Source Catalogues (ISAS/JAXA, 2010)

C2D Fall '07 Full CLOUDS Catalog (CHA II, LUP, OPH, PER, SER).

SED building: Object properties.

Object properties.

- Coordinates
 - Resolving object names.
- Distance
 - to calculate object luminosities.
- Extinction properties
 - to deredden SED.
- Using VO services.





Coordinates Distances Extinction

Object coordinates

This option allows you to query Sesame VO service to search for object coordinates using the object name.

Take a look to the corresponding Help Section and Credits Page for more information.

Search for Obj. Coordinates

Mark all: User

Unmark all: User

	Fi	nal	Us	ser Data	Sesame			
Object	RA (deg)	DEC (deg)	RA (deg)	DEC (deg)		RA (deg)	DEC (deg)	
HD000693	2.8160	-15.46797939	2.8160	-15.46797939		??	??	
HD001835	5.72	-12.20943607	5.72	-12.20943607		??	??	
HD002665	7.68935948	+57.065	7.68935948	+57.065	V	??	??	
HD002796	7.82047741	-16.79466529	7.82047741	-16.79466529	V	??	??	
HD003567	9.63311447	-8.30927645	9.63311447	-8.30927645	✓	??	??	
HD003628	9.80	+3.1339	9.80	+3.1339		??	??	
HD004306	11.36317975	-9.54438717	11.36317975	-9.54438717	V	??	??	
HD004307	11.369	-12.88	11.369	-12.88	V	??	??	
HD004614	12.27621124	+57.81518773	12.27621124	+57.81518773		??	??	
HD006582	17.068	+54.7	17.068	+54.7	V	??	??	
HD006755	17.42943586	+61.54727506	17.42943586	+61.54727506	✓	??	??	
HD006833	17.46777005	+54.73896613	17.46777005	+54.73896613	✓	??	??	

Acknowledging VOSA in publications:

Please include the following in any published material that makes use of VOSA:

This publication makes use of VOSA, developed under the Spanish Virtual Observatory project supported from the Spanish MICINN through grant AyA2008-02156.

Referencing VOSA in publications:

If your research benefits from the use of VOSA, we would appreciate if you could include the following reference in your publication:

Bayo, A., Rodrigo, C., Barrado y Navascués, D., Solano, E., Gutiérrez, R., Morales-Calderón, M., Allard, F. 2008, A&A 492,277B.

Other services used in VOSA



Files	Objects	VO Phot.		Bayes Analysis	HR Diag.	Save Results	Help	Logout
Stars and brown dw	arfs (Change)			File: e	xt prueba (info) (CI	nange)		
			Coordin	ates Distances Fa	tinction			

Object Distances

This option allows you to query VO services to search for object distances using the object coordinates.

Take a look to the corresponding Help Section and Credits Page for more information.

In some cases observational errors are large and the given distances could be doubtful.

When the relative error is larger than 10%, values are shown in red.

Search for Obj. Distances

Search radius: arcsec (default: 5").

Mark all: Hippercos Kherchenko


Unmark all: Hipparcos Kharchenko

Save Obj. Distances

	Object		F	inal		User				Hippar	rcos						N.	harcher	nko		
Name	RA	DEC (deg)		ΔDis		ΔDis	Δ.	RA	DEC	Ptx	ΔPix		ΔDis		Δ	RA	DEC	Pix	ΔPtx		ΔDis
	(deg)		(pc)		(pc)	(pc)	(arcsec)	(deg)	(deg)	(mas)	(mas)	(pc)	(pc)		(arcsec)	(deg)	(deg)	(mas)	(mas)	(pc)	(pc)
rueba1	83.79	9.94					4												:		
rueba10	267.025	1.300																			
rueba11	263,102	7.062																			
rueba12	264,875	-0.327	=																		
rueba13	260,688						2.0016	200.000232	-3.731542	1.90	1.07	526,316	518,006		1.7712	200.000179	-03.731497	1.00	1.07	531.915	529.000
rueba14	332,600	18.80					1														
rueba15	340.357	23.847					1,0104	340.357205	23.546577	0.07	0.79	14205.714	151224.490	\Box	1.0104	340.357207	+23.546575	0.23	0.79	4347.826	14933.837
rueba16	154,280	-59.52												ч.							
rueba17	33,439	-3.703					4														
rueba18	300.275	27.7535					0.2054	300.275201	27.753573	14.67	0.64	65.166	2.974	Ų.	0.2664	300.275202	+27.753574	14.47	0.62	69.109	2.961
rueba2	264.82	3.56					J=														
rueba20	312,4692	41,255																			
rueba21	317,508	15.517																			
rueba22	330.171	17.739																			
rueba23	332.864	-0.0505																			
rueba24	342,942	15,0858			-		0.72	342.942229	15.005642	7.26	0.82	137.741	10,000		0.72	342.942233	+15,005042	7.25	0.51	137.931	15.410
	94.84384	23,274					1,0432	94.043040	23.274507	0.35	100	2631.579	0925.200	ŏ			+23.274707	0.15		0000.007	
rueoazo	D4.04304	23.274					1.0432	94.043040	23.274007	0.30	1.00	2031.079	0023.200	ч.	1.0432	U34.043040	*23.2/400/	U.10	1.00	0000.007	******
rueba26	273.804	-20.387					3.492	273.804046	-20.367974	-0.22	0.91	4040,400	10001.053		3.492	273.804042	-20.387973	-0.33	0.91	3030.303	8356.290
rueba27	30,7507	64,3900					0.1554	30.750750	64,390015	0.94	0.64	1063,630	724.310		0.1504	030,750750	+64.390021	1.12	0.62	892,887	494.200
orueba3	269.075	0.671					1														
ruebad	156.74	-57.61					1														
rueba5	248,549	39,653					4														
ruebad	263,100	1,63																			
rueba7	265,656	4.958					<u></u>								3,4400		+04.955295				
							4							-							
rueba8	201.439	2.114					3.3444	201.430407	2.111422	129.54	0.95	7.720	0.057	ш	3.3444	261.435470	+02.111424	129.39	0.93	7.729	0.006
rueba9	297.003	23 348			- 11		1														

Acknowledging VOSA in publications: Please include the following in any published material that makes use of VOSA:

This publication makes use of VOSA, developed under the Spanish Virtual Observatory project supported from the Spanish MICINN through grant 4y42008-02156.



SED building: edit final SED.

SED editing

- SED plot (observed and dereddened).
- nofit: including points in the SED that won't be used for the analysis.
- Deleting points.
- Modify infrarred excess.
- Modify blue/UV excess.

ChaHa1 ChaHa10 ChaHa11 ChaHa2

ChaHa12 ChaHa13 ChaHa3 ChaHa4 ChaHa5 ChaHa6 ChaHa7 ChaHa8 ChaHa9 excess

See all

ChaHa1

Position: (166.820833.-77.598333) Distance: 160 pc Au: 2.0 Data for this object:

Final SED User data VO data Filter Amed Flux Flux NoFit Uplim Delete Flux NoFit Uplim Delete Generic/Johnson.B 4378.12 5.287e-17 1.704e-17 5.287e-17 1.704e-17 Generic/Johnson.V 5466 11 8,430e-18 9 153e-17 8,430e-18 9.153e-17 6515.87 3 118e-16 2.871e-17 3 118e-16 DENIS/DENIS.I 7862.10 9.374e-16 8.634e-16 8090.45 1,118e-15 5,149e-17 1.118e-15 5.149e-17 2MASS/2MASS.J 12350.00 2.543e-15 5.621e-17 2.543e-15 5.621e-17 2MASS/2MASS.H 16620.00 1 388e-15 3.324e-17 1.388e-15 3.324e-17 2MASS/2MASS.Ks 21590.00 7.289e-16 1.611e-17 7.289e-16 1.611e-17 WISE/WISE.W1 33156.56 1.909e-16 1.055e-18 1,909e-16 1,055e-18 9.502e-17 7.001e-19 WISE/WISE.W2 45644.99 9.502e-17 7.001e-19 WISE/WISE.W3 107868.44 3.018e-17 4.169e-19 3.018e-17 4.169e-19 WISE/WISE.W4 2.223e-17 2.272e-18 2.223e-17 2.272e-18


(Be careful. If you mark any 'Delete' checkbox, that point will be deleted without asking for confirmation)

You can manually specify where excess applies (please remember to click the 'Change excess' button to apply these changes).

Apply infrared excess from No excess * Apply UV/blue excess up to Angstroms.

Change excess

No infrared excess detected.



SED analysis

- Chi-2 fitting and Bayes analysis.
 - 16 collections of theoretical models.
 - 4 collections of observational templates.
 - Using SVO synthetic photometry VO service.
- Compare observed and synthetic photometry to estimate object properties.
 - T_{eff}, Logg, metallicity, etc (for stars).
 - Age, metallicity (for galaxies).
 - Bolometric luminosity, using the model as a correction to the observed data.
- Extinction as a fit parameter.



VO Phot Stars and brown dwarfs (Change)

Baves Analysis HR Diag.

Save Results File: extinction test (info) (Change)

Model Fit

Template fit

Model fit+

This option allows you to estimate some physical properties (such as effective temperature, surface gravity and luminosity) for each object comparing its SED with those derived from theoretical spectra obtained from VO services.

Take a look to the corresponding Help Section and Credits Page for more information.

First select the models that you want to use for the fit

Mark All Unmark All

Next: Select model params

Kurucz ODFNEW /NOVER models

ATLAS9 Kurucz ODFNEW /NOVER models. Newly computed ODFs with hetter onacities and hetter abundances have been used.

BT-Settl

The BT-Settl Model grid of theoretical spectra; With a cloud model, valid across the entire parameter range.

BT-DUSTY

The BT-DUSTY Model grid of theoretical spectra.

BT-NextGen (GNS93)

The NextGen Model grid of theoretical spectra: Gas phase only, valid for Teff > 2700 K. Updated opacities.

GRAMS, C-rich grid

GRAMS (Grid of Red supergiant and Asymptotic giant ModelS) is a grid of radiative transfer (RT) models for dust shells around red supergiant (RSG) and asymptotic giant branch (AGB) stars. This is the model grid for Carbon-rich stars Note that no IR excess is considered when fitting with these models.

TLUSTY OSTAR2002+BSTAR2006

TLUSTY OSTAR2002+BSTAR2006 Grid. The merged files use the BSTAR2006 models for effective temperatures up to 30,000 K and the OSTAR2002 models for higher temperatures.

Husfeld et al models for non-LTE Helium-rich stars Husfeld et al models for non-LTF Helium-rich stars

Loa

BT-COND

The BT-COND Model grid of theoretical spectra.

BT-NextGen (AGSS2009)


The NextGen Model grid of theoretical spectra; Gas phase only, valid for Teff > 2700 K. Updated opacities.

Black Body flux


Black Body flux as calculated in the BT-NextGen model.


GRAMS, O-rich original grid


GRAMS (Grid of Red supergiant and Asymptotic giant ModelS) is a grid of radiative transfer (RT) models for dust shells around red supergiant (RSG) and asymptotic giant branch (AGB) stars. This is the model arid for Oxygen-rich stars Note that no IR excess is considered when fitting with these models.













Continues... (part 2)